

Technical Accessory Guides (TAGs)

For Associates, Resellers, ISVs and Alliance Partners

Global



Version: Active-Only

Will only show products that are known to be available for sale

Need to provide an update or change?

Contact <mailto:pgw786@zebra.com>



For Internal Use by
PartnerConnect Members Only



MC3400 Series Technical Accessory Guide








NOTE: This document is only for general reference. Solutions Pathway and related PMBs should be used for product availability, pricing, and final solution selection.




* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.




Cradles and Charging


Single Device Cradles

Part Number	Picture	Description	Notes	Required Items
CRD-MC33-2SUCHG-01		Single Slot Charge/Communication Cradle	<ul style="list-style-type: none"> ► Provides USB support ► Supports MC33/MC34 terminal and spare battery charging ► Will charge spare battery for MC33/MC34 or MC32. ► Supports fast-charging of MC33/MC34 device and MC33/MC34 battery: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ► LED notification of spare battery charging status. 	<ul style="list-style-type: none"> ► Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01) ► AC Line Cord (23844-00-00F or country specific version) ► USB Cable (25-124330-01R) for PC connection
KT-CRD-MC33-2SUCHG-01		Single Slot Charge/Communication Cradle Kit	<ul style="list-style-type: none"> ► Provides USB support ► Supports MC33/MC34 terminal and spare battery charging ► Will charge spare battery for MC33/MC34 or MC32. ► Supports fast-charging of MC33/MC34 device and MC33/MC34 battery: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ► LED notification of spare battery charging status. ► Kit includes Single Slot Cradle (CRD-MC33-2SUCHG-01), Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01). 	<ul style="list-style-type: none"> ► AC Line Cord (23844-00-00F or country specific version) ► USB Cable (25-124330-01R) for PC connection

<p>PSCK-MC3300E (3rd party) *</p> <p>http://www.portsmith.com</p>		<p>Portsmit Single Slot Ethernet Cradle Kit</p>	<ul style="list-style-type: none"> ► Cradle communicates with the device via USB. No additional drivers are required. ► Connects to the LAN via a 10/100 mbps Ethernet connection. ► Cradle accommodates terminals equipped with standard or extended batteries. ► Kit includes: cradle, Ethernet cable, Power Supply, and AC Cord. 	
Multi-Device Cradles				
Part Number	Picture	Description	Notes	Required Items
CRD-MC33-5SCHG-01		5-Slot Charge-Only ShareCradle	<ul style="list-style-type: none"> ► Will charge up to five MC33/MC34 units. ► Does not charge spare batteries. ► Supports fast-charging of MC33/MC34: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ► Can be racked/ mounted in a standard 19inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ► DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW) ► AC Line Cord (23844-00-00F or country specific version)
CRD-MC33-4SC4BC-01		5-Slot Charge-Only ShareCradle with Spare Battery Charger	<ul style="list-style-type: none"> ► Will charge up to four MC33/MC34 terminals and four MC33/MC34 or MC32 spare batteries. ► Supports fast-charging of MC33/MC34 devices and MC33/MC34 batteries: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ► Can be racked/ mounted in a standard 19inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ► DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WW) ► AC Line Cord (23844-00-00F or country specific version)

CRD-MC33-5SETH-01		5-Slot Ethernet/Charging ShareCradle	<ul style="list-style-type: none"> ▶ Allows network speeds up to 1 Gb ▶ Will charge up to five MC33/MC34 units. ▶ Supports fast-charging of MC33/MC34: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ▶ Can be racked/ mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ▶ DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WWW) ▶ AC Line Cord (23844-00-00F or country specific version)
CRD-MC33-4SE4BC-01		MC33/MC34 5-Slot Ethernet/Charging ShareCradle with Spare Battery Charger	<ul style="list-style-type: none"> ▶ Allows network speeds up to 1 Gb ▶ Will charge up to four MC33/MC34 terminals and four MC33/MC34 or MC32 spare batteries. ▶ Supports fast-charging of MC33/MC34 devices and MC33/MC34 batteries: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ▶ Can be racked/ mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01) 	<ul style="list-style-type: none"> ▶ DC Line Cord (CBL-DC-381A1-01) and Power Supply (PWR-BGA12V108W0WWW) ▶ AC Line Cord (23844-00-00F or country specific version)
ADP-MC33-CRDCUP-01		MC33/MC34 Adapter Cup to MC30/MC31/MC32 Legacy Cradles	<ul style="list-style-type: none"> ▶ Allows MC33/MC34 to be used with MC30/MC31/MC32 Single Slot and Multi-Slot Cradles ▶ NOTE: Adapter Cup does not provide communications support (USB, Serial, Ethernet). Will only provide charging support. ▶ Does NOT support fast-charging of MC33/MC34. MC33/MC34 used in legacy cradles will be charged at standard rate: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 3 hours at standard charging rate. - charges 2X battery from 0-90% in about 5.5 hours at standard charging rate. ▶ Order one Adapter Cup for Single Slot Cradles and four Adapter Cups for Multi-Slot Cradles. 	

BRKT-SCRD-SMRK-01		5-Slot ShareCradle Mounting Bracket	<ul style="list-style-type: none"> ► Allows for rack and wall mounting of one 5-Slot ShareCradle, up to four Single Slot ShareCradles, or up to four MC32/MC33/MC34 4-Slot Battery Chargers. ► Bracket can be mounted on standard 19" network rack or on a wall. ► Has cable routing slots and removable power supply tray that stores and conceals power supplies. ► Adjustable tabs & screw mounts for easy hanging/installation. ► Adjustable orientations: <ul style="list-style-type: none"> - 25° High Density (5-Slot Charge Only Cradle) - Horizontal (Single Slot Cradle or 4-Slot Battery Chargers). ► See the Bluetooth-Generic Accessories TAG for info on 3rd party Network Racks that can be used for mounting this bracket. 	
ADP-TC7X-PLT-FX		5-Slot ShareCradle Mounting Bracket Adapter Plate for Honeywell	<ul style="list-style-type: none"> ► Allows Zebra Multi-Slot ShareCradles to be mounted on legacy Honeywell Flex Cradle Wall Mount Brackets (HON SKU #203-641-002). ► Includes hardware to attach plate to HON wall bracket and secure ShareCradle to plate. ► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	
Battery Charging				
Part Number	Picture	Description	Notes	Required Items
SAC-MC33-4SCHG-01		MC32/MC33/MC34 4-Slot Battery Charger	<ul style="list-style-type: none"> ► This cradle charges spare batteries only (1X/Standard or 2X/Extended size). ► Supports charging of both MC33/MC34 and MC32 batteries. ► Supports fast-charging of MC33/MC34 batteries: <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 2 hours vs. 3 hours for standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. ► Can be used standalone or up to four chargers can be installed on Multi-Slot Wall/Rack Mount Bracket (BRKT-SCRD-SMRK-01). 	<p><u>To power single 4-slot Charger:</u></p> <ul style="list-style-type: none"> ► Power Supply (PWR-BGA12V50W0WW) ► DC Line Cord (CBL-DC-388A1-01) ► AC Line Cord (23844-00-00R or country specific version) <p><u>To power two sets of 4-slot Chargers from one power supply:</u></p> <ul style="list-style-type: none"> ► Power Supply (PWR-BGA12V108W0WW) ► DC Y-Cable Line Cord (CBL-DC-523A1-01) ► AC Line Cord (23844-00-00R or country specific version) <p><u>To power five 4-slot Chargers:</u></p> <p>Use MC33/MC34 20-Slot Battery Charger (SAC-MC33-20SCHG-01) instead.</p> <ul style="list-style-type: none"> ► PWR-BGA12V108W0WW ► CBL-DC-381A1-01 ► AC Line Cord (23844-00-00R or country specific version)







SAC-MC33-20SCHG-01		MC32/MC33/MC34 20-Slot Battery Charger	<p>► Charges MC33/MC34 or MC32 spare batteries (1X/Standard or 2X/Extended size).</p> <p>► Uses 5-Slot ShareCradle with five 4-Slot Battery Chargers (SAC-MC33-4SCHG-01) attached.</p> <p>► Does NOT support fast-charging of MC33/MC34 batteries. All battery types charged at standard rate:</p> <ul style="list-style-type: none"> - charges 1X battery from 0-90% in about 3 hours at standard charging rate. - charges High Capacity (5200 mAh) battery from 0-90% in about 3.5 hours vs. 5.5 hours for standard charging rate. - charges Extended Capacity (7000 mAh) battery from 0-90% in about 4.5 hours. <p>► Can be racked/mounted in a standard 19 inch rack system via the mounting accessory (BRKT-SCRD-SMRK-01).</p>	<p>► Power Supply (PWR-BGA12V108W0WW)</p> <p>► DC Line Cord (CBL-DC-381A1-01)</p> <p>► AC Line Cord (23844-00-00P or country specific version)</p>
--------------------	---	--	--	--

Direct to Device Charging


Part Number	Picture	Description	Notes	Required Items
CBL-TC5X-USBC2A-01 or CBL-TC2Y-USBC90A-01		USB-A to USB-C cable	<p>► USB-A to USB-C cable</p> <p>► Attaches to USB-C port on side of device</p> <p>► Cable length is 1M (~3.25 ft.)</p> <p>► CBL-TC2Y-USBC90A-01 features USB-A connector with a 90° bend allowing cable to be used in tighter locations. Cable length is about 1.1M (45").</p>	
CBL-MC33-USBCHG-01		MC33/MC34 USB Communication/Charging Cable	<p>► Cable length is 60 inches</p>	<p>For charging:</p> <p>► USB charger...</p> <p>Indoor use: order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx)</p> <p>In Vehicle use: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)</p>
CBL-MC33-USBCHG-02		MC33/MC34 USB Communication/Charging Cable	<p>► Cable length is 36 inches vs. 60 inches on CBL-MC33-USBCHG-01.</p> <p>► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item.</p>	<p>For charging:</p> <p>► USB charger...</p> <p>Indoor use: order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx)</p> <p>In Vehicle use: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)</p>




Communication Cables



Part Number	Picture	Description	Notes	Required Items
-------------	---------	-------------	-------	----------------



CBL-TC5X-USBC2A-01 or CBL-TC2Y-USBC90A-01		USB-A to USB-C cable	<ul style="list-style-type: none"> ► USB-A to USB-C cable ► Attaches to USB-C port on side of device ► Cable length is 1M (~3.25 ft.) ► CBL-TC2Y-USBC90A-01 features USB-A connector with a 90° bend allowing cable to be used in tighter locations. Cable length is about 1.1M (45"). 	
CBL-MC33-USBCHG-01		MC33/MC34 USB Communication/Charging Cable	<ul style="list-style-type: none"> ► Cable length is 60 inches 	For charging: ► USB charger... Indoor use: order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx) In Vehicle use: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)
CBL-MC33-USBCHG-02		MC33/MC34 USB Communication/Charging Cable	<ul style="list-style-type: none"> ► Cable length is 36 inches vs. 60 inches on CBL-MC33-USBCHG-01. ► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	For charging: ► USB charger... Indoor use: order Country Specific version of USB Power Supply (PWR-WUA5V12W0xx) In Vehicle use: USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01)
CBL-MC33-USBCOM-01		MC33/MC34 USB Host Communication Cable	<ul style="list-style-type: none"> ► Cable toggles MC33/MC34 into USB OTG mode allowing connections to USB accessories like keyboards, USB thumb drives, etc. ► Provides USB-A female connector. ► Cable color is PMS code 3252 C ► NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item. 	
25-124330-01R		MC33/MC34 USB Single-Slot Cradle to PC/Host cable	<ul style="list-style-type: none"> ► Used with the Single Slot Cradle (CRD-MC33-2SUCHG-01) ► Micro USB connection on cradle end ► Cable length is 48 inches 	
PSAK-UCE (3rd party) * http://www.portsmith.com		Portsmith USB Ethernet Adapter Kit	<ul style="list-style-type: none"> ► Connects to MC3x00 via Single Slot USB cradles. Acts as USB Peripheral device to MC3x00 (USB host) ► Requires no separate power supply, has grounded wiring from both the USB and Ethernet ports, and operates on very low power draw directly from the USB connection. ► Molded end caps enable the adapters to be aligned side by side or top to bottom, for efficient use of desktop space and organization of cables. ► Kit includes PSA1U1E adapter and three USB cables for connecting to a variety of devices. ► Android devices require no additional drivers. Windows devices may require software driver from http://www.portsmith.com 	► Single Slot Charge/Communication Cradle (CRD-MC33-2SUCHG-01)
Soft Goods - Cases/Holsters				

Part Number	Picture	Description	Notes	Required Items
SG-MC34-RDHLST-01	coming soon	MC34 Rigid Holster for Brick Configurations	<ul style="list-style-type: none"> ► This carrying case secures the device to a belt. ► Only compatible with MC34 Straight Shooter/Brick configs. Not compatible with MC34 Gun configs. ► Not compatible with devices having Rubber Boot installed. 	
SG-MC3X-SHLSTB-01		Fabric Holster for Brick configurations	<ul style="list-style-type: none"> ► This carrying case secures the MC3x00 to a belt (using belt clip) or can be worn cross-body (using included strap). ► Compatible with all Brick units. ► Devices with Rubber Boot installed will fit into Holster. The fit will be tight though. 	
SG-MC3021212-01R		Fabric Holster for Gun configuration	<ul style="list-style-type: none"> ► Devices with Rubber Boot will fit into Holster. The fit will be tight though. ► Can be mounted on belt or includes tether points to be used with Universal Should Strap (58-40000-007R) 	
3PTY-MOB-031003 NOTE: Products sold that do not bear the Zebra brand name are serviced and supported exclusively by their manufacturers in accordance with terms and conditions packaged with the products. Zebra's Limited Warranty does not apply to products that are not Zebra branded, even if packaged or sold with Zebra products. Please contact the manufacturer directly for technical support and customer service. See PMB 11136 for more info.		Mobilis Holster with Belt	<ul style="list-style-type: none"> ► Textile holster is compatible with large size devices. ► Can be mounted to belt, forklift, etc. ► Includes pockets for stylus storage and spare battery. ► Includes top D-ring loops for attaching optional shoulder strap and elastic closure strap for keeping device secure in holster. ► Belt included 	
AI3927DW (3rd party) * http://www.ultimacase.com		Ultima Case Mount Holster for Gun configuration 	<ul style="list-style-type: none"> ► Durable, easy-care Ballistic Nylon exterior. ► Easy-in, easy-out access to device for fast-paced scanning. ► Mounting holes allow holster to mount on wall or forklift by using cable ties. ► Retainer strap keeps device in place and prevents accidental drops. ► Pockets on sides for markers, pens, etc. ► Bottom vent for quick insertion of device. 	
AG3239DW (3rd party) * http://www.ultimacase.com		Ultima Case Holster for Gun configuration 	<ul style="list-style-type: none"> ► Durable, easy to clean, Nylon material. ► Universal scanner gun holster. ► Has retaining strap with snap to secure device in place when not in use. ► Includes belt loops on each side for left or right handed users, and on back for mounting to a post. 	

AK4274DW (3rd party) * http://www.ultimacase.com		Ultima Case Sling/Waistbelt Ratcheting Holster for Gun configuration	<ul style="list-style-type: none"> ► Durable, easy-care Ballistic Nylon exterior. ► Buckle swivels to conform to body movements. ► Unique strap design allows holster to be carried on waist or crossbody. ► Ratcheting system allows different angle to hold device for user's comfort. ► Bottom vent for quick insertion of device. 	
AG3204DW (3rd party) * http://www.ultimacase.com		Ultima Case Holster for Brick configurations with Rubber Boot	<ul style="list-style-type: none"> ► Durable, easy-care Ballistic Nylon exterior. ► Easy-in, easy-out access to device for fast-paced scanning. ► Multi-position belt loop allows comfortable use while standing or sitting ► Bottom vent for quick insertion of device in fast-paced environments. ► Requires Rubber Boot on device. 	
11-08062-02R		Belt for holster	<ul style="list-style-type: none"> ► Belt is 2 inches wide ► Extends to 48 inches 	
V6198DW (3rd party) * http://www.ultimacase.com		Belt Extender	<ul style="list-style-type: none"> ► Used to extend the holster belt (11-08062-02R) an additional 10 inches 	
58-40000-007R		Universal Shoulder Strap	<ul style="list-style-type: none"> ► 1.5" wide, 22 to 50" max. length 	
3PTY-AG-AL4601DW NOTE: Products sold that do not bear the Zebra brand name are serviced and supported exclusively by their manufacturers in accordance with terms and conditions packaged with the products. Zebra's Limited Warranty does not apply to products that are not Zebra branded, even if packaged or sold with Zebra products. Please contact the manufacturer directly for technical support and customer service. See PMB 11136 for more info.		Ultima Case/Agora Breakaway Sling Strap	<ul style="list-style-type: none"> ► Sling allows device to be worn over shoulder. ► Strap attaches to to tether point on device. ► Sling designed to break-away for safety. ► Strap uses Polypro webbing material and is 1 inch width. 	

SG-MC33-HDSTPG-01		Gun Handstrap (single)	<ul style="list-style-type: none"> ► Optional hand strap for MC3400 Gun units (does not ship with device). ► Includes loop for storing optional stylus. 	
SG-MC34-HDSTPB-01		Replacement MC34 Brick Handstrap	<ul style="list-style-type: none"> ► This is the same strap that ships with the MC3400 (brick/straight shooter) units. ► Includes loop for storing optional stylus. 	
SG-MC34-RBTS-01		Rubber Boot for MC34 Brick units	<ul style="list-style-type: none"> ► Works with brick/straight-shooter units. ► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings. ► Compatible with fabric holsters. ► Not compatible with Forklift Holder ► Provides access to USB-C port on side of device. ► Bottom section of boot must be peeled back before inserting into cradles. 	

SG-MC34-RBTG-01		Rubber Boot for MC34 Gun	<ul style="list-style-type: none"> ► Does not increase drop spec of device. Designed to protect the device from the everyday nicks and dings. ► Devices with Boot will also fit into Fabric Gun Holster (SG-MC3021212-01R). The fit will be tight though. ► Not compatible with Forklift Holder ► Provides access to USB-C port on side of device. ► Bottom section of boot must be peeled back before inserting into cradles. 	
(3rd party) * http://www.ultimacase.com	Agora Leather website	Additional holsters for MC3000 series		
0000-0543 (3rd party) * http://www.multiplexx.com/		Hip holster with belt for MC3X Brick/Straight-Shooter units	<ul style="list-style-type: none"> ► Left-hand/right-hand interchangeable ► The holster and belt provide protection and hands free mobility to sensitive equipment 	
(3rd party) * http://logisterra.com/products/symbol/symbol.html	Logisterra website	Additional Holsters for MC3000 series		
Vehicle/Forklift Cradles and Holders				
Powered Cradles and Holders (provides device charging and/or communication)				
Part Number	Picture	Description	Notes	Required Items





various (3rd party) *			<p>Proclip Charge-Only Cradles/Holders</p> <ul style="list-style-type: none"> ► Available as: <ul style="list-style-type: none"> - powered - hard-wired - powered - cigarette lighter adapter ► Also available with: <ul style="list-style-type: none"> - No top support arm - With top support arm to keep device in place during intense vibration conditions. ► Holds MC34 Gun or Brick devices. ► Fixed Mount - does not tilt or swivel ► Mount ready via AMPS hole pattern 	Mount on vehicle using ProClip Pedestal or Forklift Mount - see ProClip website
--------------------------	---	---	--	---



<http://www.proclipusa.com/category/zebra>

Un-Powered Cradles and Holders (passive holders, no charging support)

Part Number	Picture	Description	Notes	Required Items
MNT-MC33-FLCH-01		Fork Lift Cradle (un-powered)	<ul style="list-style-type: none"> ► Bracket holds all MC3X00 configurations for convenient mounting on fork lift. ► Installs on a roll bar or square surface of the forklift and allows the device to be used in landscape or portrait mode. ► Includes RAM 1" diameter ball on back of cradle. ► Does NOT charge MC3X00. ► Not compatible with devices with rubber boot attached. 	<ul style="list-style-type: none"> ► RAM Mount Arm for Fork Lift Cradle (MNT-RAM-B201U) ► RAM Mount Base for Fork Lift Cradle (MNT-RAM-B247U25)
MNT-RAM-B201U		RAM Mount Arm for MC3X00 Fork Lift Cradle	<ul style="list-style-type: none"> ► Used with Fork Lift Cradle (MNT-MC33-FLCH-01) ► RAM Double Sock Arm for 1" ball ► Uses RAM Mount P/N RAM-B-201U 	
MNT-RAM-B247U25		RAM Mount Base for MC3X00 Fork Lift Cradle	<ul style="list-style-type: none"> ► Used with Fork Lift Cradle (MNT-MC33-FLCH-01) ► Attaches to square shaped rail/post of forklift. ► 2.5" Max Width Square Rail Base with 1" diameter ball ► Uses RAM Mount P/N RAM-B-247U-25 	

7160-1306 (3rd party) *		Gamber-Johnson Scanner Pocket Mount with Small Back Plate	<ul style="list-style-type: none"> ► Scanner mount is designed to support scanner or handheld computer in a rugged environment by holding it securely to the overhead guard leg of fork lift vehicle. ► Adjustable in width, and offers 3 mounting orientations from the overhead guard leg or one of Gamber-Johnson's extension bars. ► Designed to hold most handheld computers and scanners. ► Adjustable to fit 3.5" to 4.5" width and set at 2.5" tall ► Designed to be orientated inside, outside, or inline with the overhead guard leg. ► Attaches to rectangular overhead guard legs that are 1.5 in to 2.5 in (3.81 cm to 6.35 cm) wide. 	
https://www.gamberjohnson.com				
AA1036DW (3rd party) *		MC3XXX-G (Gun) Forklift Holster 	<ul style="list-style-type: none"> ► Includes cable ties for mounting holster to forklift ► Does not provide device charging 	
http://www.ultimacase.com				
Misc				
Part Number	Picture	Description	Notes	Required Items
SG-TC7X-STYLUS1-03 (pack of 3) SG-TC5X-STYLUS-50 (pack of 50) <small>NOTE: 50-pack is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item.</small>		Stylus	<ul style="list-style-type: none"> ► Conductive Carbon-filled plastic material w/ 5mm tip. ► Length of stylus is 3.5". ► Rigid plastic stylus is optimized for enterprise durability. ► Clip & tether point to reduce loss. ► When not being used stylus can be stored in loop on Handstrap or in the optional Holster 	
SG-TC7X-STYLUS-03 (pack of 3) SG-TC7X-STYLUS-06 (pack of 6) <small>NOTE: 6-pack is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this item.</small>		Stylus Kit with Tether	<ul style="list-style-type: none"> ► Includes fine-pitch, capacitive Stylus (SG-TC7X-STYLUS1-03) and coiled tether (KT-TC7X-TETHR1-03) ► Conductive Carbon-filled plastic material w/ 5mm tip. ► Length of stylus is 3.5". ► Rigid plastic stylus is optimized for enterprise durability. ► Clip & tether point to reduce loss. Tether to Handstrap ► When not being used stylus can be stored in loop on Handstrap or in the optional Holster 	


<p>SG-STYLUS-TCX-MTL-03 (pack of 3)</p>		<p>Fiber Tipped Stylus</p>	<ul style="list-style-type: none"> ▶ Black Passive Stylus with Zebra logo ▶ 5" length ▶ Heavy duty - made from stainless steel and brass. No plastic parts - real pen feel. ▶ Can be used in rain. ▶ Micro-Knit Hybrid Mesh Fiber Tip provides silent, smooth gliding use. ▶ Big improvement over rubber tipped or plastic tipped stylus. ▶ Compatible with all capacitive touch screen devices. ▶ Can be tethered to device using SG-TC5NGTC7NG-TETHR-03. 	
<p>3PTY-MOB-001054</p> <p>NOTE: Products sold that do not bear the Zebra brand name are serviced and supported exclusively by their manufacturers in accordance with terms and conditions packaged with the products. Zebra's Limited Warranty does not apply to products that are not Zebra branded, even if packaged or sold with Zebra products. Please contact the manufacturer directly for technical support and customer service. See PMB 11136 for more info.</p>		<p>Mobilis Capacitive Stylus with Coiled Tether Cord (pack of 10)</p>	<ul style="list-style-type: none"> ▶ Black Passive Stylus with Mobilis logo ▶ Compatible with all capacitive touch screen devices. 	
<p>SG-TC5NGTC7NG-TETHR-03 (pack of 3)</p>		<p>Tether for Stylus</p>	<ul style="list-style-type: none"> ▶ String type tether prevents loss of stylus ▶ NOTE: This tether is recommended when using Fiber Tipped Stylus (SG-STYLUS-TCX-MTL-03). Other tethers may not fit easily through the tether loop hole on the stylus. 	
<p>KT-TC7X-TETHR1-03 (pack of 3)</p>		<p>Replacement Coiled Tether for Stylus</p>	<ul style="list-style-type: none"> ▶ This tether is included with Stylus Kit with Tether (SG-TC7X-STYLUS-03) ▶ Not recommended when using Fiber Tipped Stylus (SG-STYLUS-TCX-MTL-03). 	




SG-ET5X-SLTETR-01 (single)		Replacement Coiled Tether for Stylus	<ul style="list-style-type: none"> ► This tether is typically used with the ET5X series' stylus but can be used with MC33/MC34 Stylus. ► Not recommended when using Fiber Tipped Stylus (SG-STYLUS-TCX-MTL-03). 	
MISC-MC34-SCRN-01 (pack of 5)		MC34 Tempered Glass Screen Protector (pack of 5)	<ul style="list-style-type: none"> ► Tempered glass ► Includes alcohol wipes, cleaning cloth and tools needed for screen protector installation. ► Only compatible with MC34 series 	
Additional Screen Protectors (3rd party) * http://www.nushield.com		Additional Screen Protectors	<ul style="list-style-type: none"> ► NuShield AG™ - works well indoors under bright lights to minimize glare. ► NuShield AM™ - antimicrobial film is an antiglare film designed for hospitals, public kiosks, restaurants and POS terminals where transmission of disease is a primary concern. ► NuShield DayVue™ - antireflective film is the best choice for displays that are being used outdoors. 	

Headset/Audio Accessories



NOTE: Wired headsets not supported. Use Bluetooth headset instead.

Bluetooth headsets with PTT function not supported by Zebra PTT Express application. Check Zebra WFC Central Client app Release Notes to verify compatibility.





Part Number	Picture	Description	Notes	Required Items
See HS2100-HS3100 Accessories Document		HS3100 Rugged Bluetooth Headset for VDP applications	<ul style="list-style-type: none"> ► HD Voice, also known as Wide Band Audio, brings incredible audio clarity ► Built to handle the everyday inevitable drops ► Dustproof, sprayproof and waterproof ► Ready for the freezer and outdoor subzero temperatures ► Feather-light for extraordinary comfort ► Noise cancellation tuned for VDP (voice directed picking) applications. ► Not designed for the aggressive noise cancellation required for VoIP or voice calls. Headset's send level is not tuned to satisfy VoIP or voice standards and will result with audio being quieter at the far end and delivering more noise. ► Swap batteries on the fly — without losing the Bluetooth connection ► Split-second tap-to-pair simplicity using NFC. ► Detachable swivel boom minimizes costs. ► Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations. ► User-replaceable pads and windscreens maximize comfort and hygiene ► 15 hours of battery power 	See HS2100/HS3100 Accessories Document for headset accessories

various Bluetooth models B550-XT B350-XT C400-XT C300-XT (3rd party) * http://www.blueparrott.com		BlueParrott Bluetooth Headsets	► Various Bluetooth models available with options that include: - Blocking out 96% of background noise - Over 24 hours of talk time - NFC Tap to Pair capable - Bluetooth wireless range capable up to 300 ft. - Convertible wearing options: over the head, behind the neck. See BlueParrot site for model specific options.	
APTT1 or APTT2 (3rd party) * https://www.aina-wireless.com/		Aina Push-To-Talk (PTT) Bluetooth Voice Responder Remote Speaker/Mic (RSM)	► Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ► Includes clip for attaching device to clothing for lapel speaker/mic usage. ► Features several buttons which the application developers can assign to different functions. ► Users can remotely control functions such as push-to-talk, phone calls, channel switching and emergency alerts. ► Device is ruggedized, MIL-STD 810G and IP67. ► Long lasting battery designed for 24 hour approx battery life. Can be recharged via micro-USB port. ► Includes 3.5mm headset jack allowing headphones to be connected for keeping conversations more private. ► Can be easily paired to mobile computer using NFC tap-to-pair.	
various (3rd party) * http://stonemountainltd.com		Stone Mountain BluSkye Bluetooth Remote Speaker Mic (RSM)	► Bluetooth speaker-microphone designed to work with different walkie talkie style Push-to-Talk applications, including Zebra PTT Pro (check with Zebra PTT Pro engineering team for current device/OS support). ► Device is ruggedized, MIL-STD 810G and IP68.	

Power Cords/Power Supplies

Part Number	Picture	Description	Notes	Required Items
CBL-DC-388A1-01		DC Power Cord	► Used along with Power Supply PWR-BGA12V50W0WW to power Single Slot Cradle, MC32/MC33 4-Slot Battery Charger. ► Cable length is 1.8 meters	
PWR-BGA12V50W0WW		Power Supply	► Used to power Single Slot Cradles, MC32/MC33 4-Slot Battery Charger. ► 100-240 VAC, 12V, 4.16A, 50W ► Provides US DOE Level VI compliance for power efficiency.	► DC Line Cord (CBL-DC-388A1-01) ► AC Line Cord (23844-00-00F or country specific version)

KIT-PWR-12V50W		Power Supply Kit	► Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01)	► AC Line Cord (23844-00-00R or country specific version)
CBL-DC-381A1-01		DC Power Cord	► Used with Power Supply PWR-BGA12V108W0WW to power MC33 5-Slot Multi-Slot ShareCradles and MC32/MC33 20-Slot Spare Battery Charger. ► This cable does not include the black extension release latch which is not required when used on Multi-Slot ShareCradles.	
CBL-DC-382A1-01		DC Power Cord	► Used with Power Supply PWR-BGA12V108W0WW to power 4-Slot MC30/MC31/MC32 Legacy Cradles.	
CBL-DC-523A1-01		2-Way DC Y Power Cord	► Used to power two 4-Slot Battery Chargers with one Power Supply (PWR-BGA12V108W0WW)	
PWR-BGA12V108W0WW		Power Supply	► Used to power 5-Slot Cradles, and 20 Slot MC33 Spare Battery Charger. ► 100-240 VAC, 12V, 9A, 108W ► Provides US DOE Level VI compliance for power efficiency.	► CBL-DC-381A1-01 ► AC Line Cord (23844-00-00R or country specific version)
23844-00-00R		AC Line Cord	► This AC Line Cord is for use in North America. See the AC Line Cords by Country TAG for comparable line cords to use in other countries.	
PWR-WUA5V12W0US (US plug style) PWR-WUA5V12W0GB (UK plug style) PWR-WUA5V12W0EU (EU plug style) PWR-WUA5V12W0AU (Australia plug style) PWR-WUA5V12W0CN (China plug style) PWR-WUA5V12W0IN (India plug style) PWR-WUA5V12W0KR (Korea plug style) PWR-WUA5V12W0BR (Brazil plug style) PWR-WUA5V12W0LA (Argentina/Chile/Mexico plug styles)		USB Power Supply	► Used with USB-A to USB-C Cable or MC33/MC34 Charge/Communication Cable (CBL-MC33-USBCHG-01) to charge device. ► Provides higher current (2.5A) for faster charging ► 100-240 VAC, 5 V, 2.5 A	
CHG-AUTO-USB1-01 CHG-AUTO-USB1-BR (for Brazil) ► To be discontinued 3/2025 - see PMB-11549		USB Cigarette Lighter Adapter	► Can be used to charge MC33/MC34 from USB snap-on cable. ► Includes two USB A ports providing higher current (2.5A) for faster charging	

Batteries				
Part Number	Picture	Description	Notes	Required Items
BTRY-MC33-52MA-01 (single) BTRY-MC33-52MA-10 (10 pack) BTRY-MC33-52MA-IN (for use in India)		MC33/MC34 Spare High Capacity Battery with PowerPrecision Plus (5200 mAh) 	<ul style="list-style-type: none"> ► Designed, manufactured & tested to meet rigorous controls & standards ► Premium-grade cells with higher capacity & longer life cycle ► Designed to help prevent overcharging & electrical shock ► Strong & robust housing for optimal performance & durability ► Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device). - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency. ► NOTE: When used with MC34 series, this battery reduces the device's ingress protection from IP65 & IP67 to IP65 only. 	
BTRY-MC3X-70MA-01 (single) BTRY-MC3X-70MA-IN (single, for use in India)		MC33/MC34 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh) 	<ul style="list-style-type: none"> ► Designed, manufactured & tested to meet rigorous controls & standards ► Premium-grade cells with higher capacity & longer life cycle ► Designed to help prevent overcharging & electrical shock ► Strong & robust housing for optimal performance & durability ► Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device). - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency. ► NOTE: This is the original battery that ships with MC34 series devices - provides IP65 & IP67 ingress protection. 	

<p>BTRY-MC33-70MA-01 (single)</p> <p>BTRY-MC33-70MA-10 (10 pack)</p> <p>BTRY-MC33-70MA-IN (single, for use in India)</p>		<p>MC33/MC34 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh)</p> 	<ul style="list-style-type: none"> ► Designed, manufactured & tested to meet rigorous controls & standards ► Premium-grade cells with higher capacity & longer life cycle ► Designed to help prevent overcharging & electrical shock ► Strong & robust housing for optimal performance & durability ► Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device). - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency. ► NOTE: When used with MC34 series, this battery reduces the device's ingress protection from IP65 & IP67 to IP65 only. 	
<p>BTRY-MC3X-7BLE-01 (single)</p> <p>BTRY-MC3X-7BLE-IN (single, for use in India)</p>		<p>MC33/MC34 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh) and BLE beacon</p> 	<ul style="list-style-type: none"> ► Designed, manufactured & tested to meet rigorous controls & standards ► Premium-grade cells with higher capacity & longer life cycle ► Designed to help prevent overcharging & electrical shock ► Strong & robust housing for optimal performance & durability ► Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device). - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency. ► Includes Bluetooth beacon allowing device to be located while powered off using solutions like Zebra Device Tracker. Once the battery can no longer power the device the BLE beacon in the battery will continue to beacon for about 14-21 days. ► NOTE: Device may require OS/LifeGuard update to support Bluetooth beacon feature. ► Battery purchase is eligible for discounted Device Tracker 1-year or 3-year subscription. See PMB 10836 for details. ► NOTE: This is the original battery that ships with MC34 series devices - provides IP65 & IP67 ingress protection. 	 <p>► Typically purchased along with a Device Tracker 1-year or 3-year subscription. Battery is eligible for a discounted Device Tracker subscription:</p> <p>SW-BLE-DT-SP-1YR (1 year) or SW-BLE-DT-SP-3YR (3 year)</p> <p>See PMB 10836 for details.</p>

<p>BTRY-MC33-7BLE-01 (single)</p> <p>BTRY-MC33-7BLE-10 (10 pack)</p> <p>BTRY-MC33-7BLE-IN (single, for use in India)</p>	 	<p>MC33/MC34 Spare Extended Capacity Battery with PowerPrecision Plus (7000 mAh) and BLE beacon</p>  	<ul style="list-style-type: none"> ► Designed, manufactured & tested to meet rigorous controls & standards ► Premium-grade cells with higher capacity & longer life cycle ► Designed to help prevent overcharging & electrical shock ► Strong & robust housing for optimal performance & durability ► Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device). - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency. ► Includes Bluetooth beacon allowing device to be located while powered off using solutions like Zebra Device Tracker. Once the battery can no longer power the device the BLE beacon in the battery will continue to beacon for about 14-21 days. ► NOTE: Device may require OS/LifeGuard update to support Bluetooth beacon feature. ► Battery purchase is eligible for discounted Device Tracker 1-year or 3-year subscription. See PMB 10836 for details. ► NOTE: When used with MC34 series, this battery reduces the device's ingress protection from IP65 & IP67 to IP65 only. 	 <p>► Typically purchased along with a Device Tracker 1-year or 3-year subscription. Battery is eligible for a discounted Device Tracker subscription:</p> <p>SW-BLE-DT-SP-1YR (1 year) or SW-BLE-DT-SP-3YR (3 year)</p> <p>See PMB 10836 for details.</p>
--	--	---	---	---