



# HP DeskJet 2921 All-in-One Printer (A24J1C)

## Overview



### Home printing made super simple

Setup that's a breeze thanks to HP's easiest-to-use print app. Print everything from return labels to fun, colorful learning worksheets. Simplify printing, ignite creativity and learning.[3]

### Easy setup, worry-free connection.[1]

Handle your printing, scanning, and copying needs from anywhere in your home.

### Made with at least 70% recycled plastic content[7]

One billion printer cartridges recycled and counting.[7]

### Learn, create, and stay organized.

Make learning easy and fun with HP Printables.

## Features



Easily handle simple tasks and get a lot from this all-in-one printer.



HP's most reliable dual-band, self-healing Wi-Fi® - automatically reconnecting.<sup>2</sup>

Set up, print, scan and copy from any device with HP's easiest-to-use print app.<sup>3</sup>



Easily print all your documents with an intuitive control panel with buttons.

Match your space's unique vibe with stylish and compact designs.



Contains at least 70% recycled plastic content.<sup>6</sup>

---

*[1] HP DeskJet printers have self-healing Wi-Fi®, HP's best and most reliable wireless technology. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5GHz operations. Learn more at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting) .*

*[3] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced <= \$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker - Final Historical CYQ1 2024. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2024. For details, please see: <https://keypointintelligence.com/hpapp> .*

*[7] Recycled plastic is expressed as a percentage of the total weight of plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2.*

## Specifications

<b>Print quality black (best)</b>	Up to 1200 x 1200 rendered dpi
<b>Print quality color (best)</b>	Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)
<b>Print speed black (ISO, A4)</b>	Up to 7.5 ppm
<b>Print speed black (ISO, letter)</b>	Up to 7.5 ppm
<b>Print Speed Color (ISO)</b>	Up to 5.5 ppm
<b>Print speed color (ISO)</b>	Up to 5.5 ppm
<b>Print speed</b>	Print speed up to 7.5 ppm (black) and 5.5 ppm (color)
<b>Bottom margin (A4)</b>	12.7 mm
<b>Left margin (A4)</b>	3 mm
<b>Right margin (A4)</b>	3 mm
<b>Top margin (A4)</b>	3 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Manual (driver support provided)
<b>Duty cycle (monthly, A4)</b>	Up to 1000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 1,000 pages
<b>Replacement cartridges</b>	HP 68 Black Original Ink Cartridge (~160 pages yield) 7FP21TA; HP 68 Tri-Color Original Ink Cartridge (~120 pages yield) 7FP20TA; HP 68e EvoMore Black Original Ink Cartridge (~320 pages yield) 7FP22TA. <sup>[4,7]</sup>
<b>Supplies feature</b>	HP Instant Ink eligible
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0 (device); Dual Band Wi-Fi
<b>Network capabilities</b>	Wi-Fi 802.11 a/b/g/n, 2.4 GHz and 5GHz dual band
<b>Wireless capability</b>	Yes, built-in Wi-Fi 802.11a/b/g/n, 2.4 GHz and 5GHz dual band
<b>Mobile printing capability</b>	HP app; Apple AirPrint; Mopria Print Service; HP Print Service Plugin (Android printing)
<b>Software included</b>	HP app, available online
<b>Compatible Operating Systems</b>	Windows 11; Windows 10; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia
<b>Technical features</b>	Made with recycled plastic; Flatbed scanner; Simple set-up
<b>Sustainable impact specifications</b>	Forest First product; FSC Certified Packaging; Recyclable through HP Planet Partners; 70% post-consumer recycled plastic
<b>Energy star certified</b>	No
<b>Ecolabels</b>	EPEAT® registered
<b>Blue Angel compliant</b>	No; Please refer to the ECI document
<b>Digital sending standard features</b>	No
<b>Faxing</b>	No

<b>Scan file format</b>	JPEG; TIFF; PDF; PNG
<b>Scan input modes</b>	Front panel Copy buttons, HP app
<b>Scan technology</b>	Contact Image Sensor (CIS)
<b>Scanner type</b>	Flatbed
<b>Display</b>	Icon LCD display
<b>Dimensions (W x D x H)</b>	425 x 304 x 154 mm <i>(Dimensions vary as per configuration)</i>
<b>Dimensions (W x D x H)</b>	16.73 x 11.97 x 6.06 in
<b>Weight</b>	~3.42 kg <i>(Weight varies as per configuration)</i>
<b>Weight</b>	~7.55 lb <i>(Weight varies as per configuration)</i>
<b>Power consumption</b>	2.55 W (ready), 1.31 W (sleep), 0.10 W (off). <sup>[2]</sup> <i>(Power requirements and consumption are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
<b>Power supply type</b>	Internal
<b>What's in the box</b>	HP DeskJet 2921 All-in-One; HP 68 Setup Black Cartridge; HP 68 Setup Tri-color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit <a href="http://hp.com/go/learnaboutsupplies">http://hp.com/go/learnaboutsupplies</a> ]
<b>Manufacturer Warranty</b>	One-year limited warranty. For more info please visit us at <a href="http://support.hp.com">http://support.hp.com</a> .For full terms and conditions visit: <a href="http://www.hp.com/go/orderdocuments">www.hp.com/go/orderdocuments</a> .Warranty and support options vary by product, country, and local legal requirements

## Additional specifications

<b>Accessories</b>	None
<b>Acoustic power emissions (active, printing)</b>	6.3 B(A)
<b>Acoustic pressure emissions</b>	55 dB(A)
<b>Automatic paper sensor</b>	No
<b>Automation feature photo 01</b>	<a href="https://hp.widen.net/content/de3jjod0kb/original/de3jjod0kb.png">https://hp.widen.net/content/de3jjod0kb/original/de3jjod0kb.png</a>
<b>Bit depth</b>	24-bit
<b>Borderless printing</b>	No
<b>Cable included</b>	AP EM only: Yes 1.0m (USB) cable; AMS, EMEA: No, please purchase (USB) cable separately
<b>Camera phone supported</b>	No
<b>Cartons per layer</b>	12
<b>Color</b>	Evening fog
<b>Color copy capability</b>	Yes
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Compliance alliances</b>	DLNA; Mopria
<b>Connection type</b>	Wireless
<b>Control panel</b>	Icon LCD display, 7 buttons (Power, Cancel, Resume, Wi-Fi, Info, Color Copy & Black Copy) 5 LED indicators (Power, Ink, Resume, Wi-Fi & Info)
<b>Copies, maximum</b>	Up to 9 copies
<b>Copy resolution (black graphics)</b>	Up to 300 x 300 dpi
<b>Copy resolution (black text)</b>	Up to 300 x 300 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 300 x 300 dpi
<b>Copy speed black (ISO)</b>	Up to 6 cpm
<b>Copy speed color (ISO)</b>	Up to 3 cpm
<b>Count of layers in pallet</b>	6 NA/EMEA/LAR; 5 AP, except Japan; 4 JAPAN
<b>Datasheet Feature Photo 04</b>	<a href="https://hp.widen.net/content/hpjzxxzh8d/original/hpjzxxzh8d.png">https://hp.widen.net/content/hpjzxxzh8d/original/hpjzxxzh8d.png</a>
<b>Datasheet feature photo 02</b>	<a href="https://hp.widen.net/content/exo5usesmw/original/exo5usesmw.png">https://hp.widen.net/content/exo5usesmw/original/exo5usesmw.png</a>
<b>Datasheet feature photo 03</b>	<a href="https://hp.widen.net/content/gfzyjrzyay/original/gfzyjrzyay.png">https://hp.widen.net/content/gfzyjrzyay/original/gfzyjrzyay.png</a>
<b>Datasheet feature photo 05</b>	<a href="https://hp.widen.net/content/u1welpvqaf/original/u1welpvqaf.png">https://hp.widen.net/content/u1welpvqaf/original/u1welpvqaf.png</a>
<b>Datasheet feature photo 06</b>	<a href="https://hp.widen.net/content/w2bppnqca4/original/w2bppnqca4.png">https://hp.widen.net/content/w2bppnqca4/original/w2bppnqca4.png</a>
<b>Datasheet feature photo 07</b>	<a href="https://hp.widen.net/content/cgfsygcc4m/original/cgfsygcc4m.png">https://hp.widen.net/content/cgfsygcc4m/original/cgfsygcc4m.png</a>
<b>Datasheet feature photo 08</b>	<a href="https://hp.widen.net/content/hh7985hstf/original/hh7985hstf.png">https://hp.widen.net/content/hh7985hstf/original/hh7985hstf.png</a>

<b>Dimensions with trays up (W x D x H)</b>	425 x 418.4 x 250 mm
<b>Duty cycle note</b>	Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.
<b>Dynamic security</b>	Dynamic security enabled printer
<b>Electromagnetic compatibility</b>	EN 55032:2015+A11:2020 Class B; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; CISPR 32 2015+A1:2019 Class B; CISPR 35:2016; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016.
<b>Envelope Feeder</b>	No
<b>Fax Remote Retrieval</b>	No
<b>Fax phone TAM interface supported</b>	No
<b>Finished output handling</b>	Sheetfed
<b>First page out black (A4, ready)</b>	As fast as 16 sec
<b>First page out black (letter, ready)</b>	As fast as 16 sec
<b>First page out color (A4, ready)</b>	As fast as 20 sec
<b>First page out color (letter, ready)</b>	As fast as 20 sec
<b>Geographic availability</b>	AP
<b>Ink types</b>	Pigment-based (black); Dye-based (color)
<b>Input capacity</b>	Up to 60 sheets
<b>Instant Ink footnote</b>	HP Instant Ink eligible. For more information visit <a href="https://www.hpinstantink.com">https://www.hpinstantink.com</a>
<b>Instant ink</b>	HP Instant Ink eligible
<b>Internal Storage</b>	No
<b>Junk fax barrier</b>	No
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 5 envelopes
<b>Maximum Memory</b>	64 MB DDR1; 24 MB Flash
<b>Maximum dimensions (W x D x H)</b>	16.73 x 21.52 x 9.84 in (Output Extension Fully Out)
<b>Maximum dimensions (W x D x H)</b>	425 x 546.6 x 250 mm (Output Extension Fully Out)
<b>Maximum input capacity (10x15cm photos)</b>	Up to 20 sheets
<b>Maximum input capacity (4x6 photo)</b>	Up to 20 sheets
<b>Maximum input capacity (cards)</b>	Up to 20 cards

<b>Maximum input capacity (photo paper)</b>	Up to 20 sheets
<b>Maximum input capacity (sheets)</b>	Up to 60 sheets
<b>Maximum output capacity (cards)</b>	Up to 20 cards
<b>Maximum output capacity (envelopes)</b>	Up to 5 envelopes
<b>Maximum output capacity (photo paper)</b>	Up to 20 sheets
<b>Maximum output capacity (sheets)</b>	Up to 25 sheets
<b>Maximum print area</b>	209.9 x 349.6 mm
<b>Media sizes supported</b>	A4; B5; A6; DL envelope
<b>Media sizes supported</b>	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	3 x 5 to 8.5 x 14 in
<b>Media sizes, custom</b>	76 x 127 to 215 x 355 mm
<b>Media types</b>	Plain paper, photo paper, brochure paper, envelopes and other specialty inkjet papers
<b>Media weight, recommended</b>	75 g/m <sup>2</sup>
<b>Media weight, recommended</b>	20 lb
<b>Media weight, supported</b>	A4: 60 to 90 g/m <sup>2</sup> ; HP envelopes: 75 to 90 g/m <sup>2</sup> ; HP cards: up to 200 g/m <sup>2</sup> ; HP 10 x 15 cm photo paper: up to 300 g/m <sup>2</sup>
<b>Media weight, supported</b>	Letter: 16 to 32 lb; HP envelopes: 20 to 24 lb; HP cards: up to 110 lb; HP 4 x 6 inch photo paper: up to 145 lb
<b>Memory</b>	64 MB DDR1
<b>Memory Slots</b>	None
<b>Minimum System Requirements</b>	Microsoft® Windows® 11, 10: 1 GHz processor, 2 GB available hard disk space, Internet connection
<b>Minimum System Requirements for Macintosh</b>	Apple® macOS 13 Ventura, macOS 14 Sonoma, macOS 15 Sequoia; 2 GB HD; Internet required
<b>Model number</b>	2921
<b>Multitasking supported</b>	No
<b>Non-Operating Humidity Range</b>	5 to 90% RH (non-condensing)
<b>Number of users</b>	1-3 Users
<b>Operating altitude</b>	Up to 3,000 m
<b>Operating altitude</b>	Up to 10,000 ft
<b>Operating humidity range</b>	15 to 80% RH (non-condensing)

<b>Operating temperature range</b>	41 to 104°F
<b>Operating temperature range</b>	5 to 40°C
<b>Orderable supplies</b>	HP 68 Black Original Ink Cartridge 7FP21TA; HP 68 Tri-Color Original Ink Cartridge 7FP20TA; HP 68e EvoMore Black Original Ink Cartridge 7FP22TA.
<b>Output capacity</b>	Up to 25 sheets
<b>Package dimensions (W x D x H)</b>	475 x 191 x 354 mm
<b>Package dimensions (W x D x H)</b>	18.70 x 7.52 x 13.94 in
<b>Package weight</b>	4.58 kg
<b>Package weight</b>	10.10 lb
<b>Page yield (set-up/inbox cartridges)</b>	~100 pages black, ~60 pages tri-color
<b>Pallet dimensions</b>	AMS: 48 x 40 x 89.01 in; EMEA: 47 x 39.37 x 89.02 in; AP: 48 x 40 x 75.08 in
<b>Pallet dimensions (W x D x H)</b>	AMS 1219.2 x 1016 x 2261 mm; EMEA: 1200 x 1000 x 2261 mm; AP: 1219.2 x 1016 x 1907 mm
<b>Pallet weight</b>	773 lb NA, EMEA, LAR; 652 lb AP except Japan; 241 lb JAPAN
<b>Pallet weight</b>	351kg NA, EMEA, LAR; 296kg AP, except Japan; 241kg JAPAN
<b>Paper handling input, standard</b>	60-sheet input tray
<b>Paper handling output, standard</b>	25-sheet output tray
<b>Paper trays, maximum</b>	1
<b>Paper trays, standard</b>	1
<b>Photo proofsheets supported</b>	No
<b>PictBridge description</b>	No
<b>PictBridge supported</b>	No
<b>Playbook TS icon 1</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532625.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08532625.png</a>
<b>Playbook TS icon 2</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08754492.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08754492.png</a>
<b>Playbook TS icon 3</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08754490.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08754490.png</a>
<b>Playbook TS icon 4</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c09120153.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c09120153.png</a>
<b>Playbook TS icon 5</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169153.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169153.png</a>
<b>Playbook TS icon 6</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169244.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169244.png</a>
<b>Playbook TS icon 7</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08626573.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08626573.png</a>
<b>Playbook TS icon 8</b>	<a href="https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c09120130.png">https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c09120130.png</a>
<b>Power</b>	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) 600mA. India input voltage: 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) 400mA.
<b>Print Cartridge/Bottle, Color(s)</b>	Black; Cyan; Magenta; Yellow
<b>Print Cartridges/Bottle, Number</b>	2 (1 each black, tri-color)
<b>Print Speed Black (Draft, A4 Memo)</b>	Up to 27 ppm

<b>Print Speed Color (Draft, A4 Memo)</b>	Up to 22 ppm
<b>Print Technology</b>	Ink
<b>Print colors</b>	Yes
<b>Print colors maximum</b>	4
<b>Print head nozzles</b>	336 (black), 588 (color)
<b>Print heads</b>	2 (1 each black, tri-color)
<b>Print languages</b>	HP PCL 3 GUI; HP PCLm (HP Apps/UPD); URF (AirPrint)
<b>Print speed black (ISO)</b>	Up to 7.5 ppm
<b>Print speed black (draft, A4)</b>	Up to 20 ppm
<b>Print speed black (draft, letter)</b>	Up to 20 ppm
<b>Print speed color (ISO)</b>	Up to 5.5 ppm
<b>Print speed color (draft, A4)</b>	Up to 16 ppm
<b>Print speed color (draft, letter)</b>	Up to 16 ppm
<b>Print speed color (normal, 10x15 photo)</b>	As fast as 63 sec
<b>Print speed color (normal, 4x6 photo)</b>	As fast as 63 sec
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer drivers included</b>	HP PCL 3 GUI
<b>Processor speed</b>	1.0 GHz
<b>Product color</b>	Cement noir with evening fog accents
<b>Product logos</b>	High speed USB, Windows 10; Mac Simley, Mac Universal; Chromebook Certified, Mopria, Wi-Fi Certified, Airprint, MFI, Instant Ink (for countries that apply), Energy Star (For countries that apply), Recycle, Fragile, keep out of rain, this side up, PAP20 (for countries that apply), Smart Way (for countries that apply), Stack height (NA/EMEA/LA 14, AP 10), CE (for countries that apply), EAC Logo (for countries that apply), Language bubble,RMN (Not on India box); Triman(for countries that apply)
<b>Product long name specifications</b>	HP DeskJet 2921 All-in-One Printer, Color Printer for Home, Print, copy, scan, Wireless; Print from phone or tablet
<b>Product name (back)</b>	HP DeskJet 2921
<b>Product name (front)</b>	HP DeskJet 2921
<b>Product name (primary)</b>	HP DeskJet 2921
<b>Product name (secondary)</b>	HP DeskJet 2921
<b>Product short name specifications</b>	HP DeskJet 2921 Wireless All-in-One Color Printer
<b>Quantity per pallet</b>	72 NA/EMEA/LAR; 60 AP except Japan; 48 Japan
<b>RMN number</b>	SNPRC-2511-01
<b>Recommended Macintosh system requirements</b>	Apple® macOS 13 Ventura, macOS 14 Sonoma, macOS 15 Sequoia; 2 GB HD; Internet required

<b>Recommended monthly page volume</b>	50 to 100
<b>Recommended monthly page volume note</b>	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
<b>Recommended operating humidity range</b>	20 to 80% RH
<b>Recommended operating temperature range</b>	59 to 86°F
<b>Recommended operating temperature range</b>	15 to 30°C
<b>Replacement cartridges footnote</b>	Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1: 2018; EN IEC 62368-1:2020+A11:2020, EN IEC 62368-1:2020 + A11:2020; EN 62311:2008; EN 62479:2010; UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14.
<b>Scan resolution, hardware</b>	Up to 1200 x 1200 dpi
<b>Scan resolution, optical</b>	Up to 1200 dpi
<b>Scan size, maximum</b>	8.5 x 11.69 in
<b>Scan size, maximum</b>	216 x 297 mm
<b>Scanning options (ADF)</b>	Not Applicable
<b>Segment (filter)</b>	Home
<b>Send to email capability</b>	No
<b>Service &amp; support options</b>	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during warranty period. Access to world-class support services through <a href="http://www.hp.com/support">http://www.hp.com/support</a> .
<b>Standard input capacity (cards)</b>	Up to 20 cards
<b>Standard input capacity (envelopes)</b>	Up to 5
<b>Standard input capacity (legal)</b>	Up to 60 sheets
<b>Standard media sizes (duplex)</b>	Not Applicable
<b>Standard media sizes (duplex, imperial)</b>	Not Applicable
<b>Standard output capacity (cards)</b>	Up to 20 cards
<b>Standard output capacity (envelopes)</b>	Up to 5 envelopes
<b>Standard output capacity (legal)</b>	Up to 25 sheets
<b>Storage altitude</b>	15,000 ft
<b>Storage altitude</b>	4500 m
<b>Storage device and direct print support</b>	Storage devices not supported

<b>Storage temperature range</b>	-40 to 140°F
<b>Storage temperature range</b>	-40 to 60°C
<b>Sub-brand name</b>	Deskjet
<b>System requirements, recommended</b>	Microsoft® Windows® 11, 10: 1 GHz processor, 2 GB available hard disk space, Internet connection
<b>Target user and print volume</b>	For teams up to 3 users; Prints up to 100 pages/month
<b>Tariff numbers</b>	8443310000
<b>Telecom compliance (fax capability)</b>	Mopria, DLNA
<b>Top key features</b>	Wireless; Print from phone or tablet; HP Instant Ink eligible
<b>Twain version</b>	Version 2.4
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	198701512158
<b>Vertical alignment accuracy</b>	+/- 0.042 mm
<b>Vertical alignment accuracy</b>	+/- 0.00167 in
<b>Video action printing supported</b>	No
<b>Web solutions</b>	HP Printables
<b>Wireless technologies</b>	Built in Wi-Fi 802.11a/b/g/n, 2.4GHz and 5GHz dual band

---

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

*[4] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://hp.com/go/learnaboutsupplies> .*

*[7] For more information about page yields for replacement cartridges see <http://hp.com/go/learnaboutsupplies> for setup cartridges click on Setup supplies link on the same page.*

---

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Inkjet Printer Cartridges and Ink Supplies

HP 308 2-Pack Black/Tri-color Original Ink Cartridge Combo	6L6S6UE
HP 308 Black Original Ink Cartridge EU	7FP21UE
HP 308 Tri-color Original Ink Cartridge	7FP20UE
HP 68 2-Pack Black/Tri-color Original Ink Cartridge Combo	6L6S2TN
HP 68 2-Pack Black/Tri-color Original Ink Cartridge Combo	6L6S3TA
HP 68 Black Original Ink Cartridge	7FP21TA
HP 68 Black Original Ink Cartridge	7FP21TN
HP 68 Tri-color Original Ink Cartridge	7FP20TA
HP 68 Tri-color Original Ink Cartridge	7FP20TN
HP 807 Black Original Ink Cartridge	7FP21ZZ
HP 807 Tri-color Original Ink Cartridge	7FP20ZZ

### HP EvoMore Ink Cartridges

HP 308e EvoMore Black Original Ink Cartridge	7FP22UE
HP 68e EvoMore Black Original Ink Cartridge	7FP22TA
HP 68e EvoMore Black Original Ink Cartridge	7FP22TN

## HP Business Papers

### HP Business Papers for inkjet

HP Enhanced Business Paper Matte 40 lb 8.5 x 11 in (216 x 279 mm) 150 sheets	9ZE20A
--	--------

## HP Photo Papers

### HP Photo Papers for inkjet

HP Matte Photo Paper 180 g/m <sup>2</sup> 10 x 15 cm (101 x 152 mm) 25 sheets	7HF70A
HP Matte Photo Paper 48 lb 4 x 6 in. (101 x 152 mm) 25 sheets	6QH46A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
---	----------

HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets

HPM1120R

HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets

HPM1420P

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Jan 01, 2026 10:50 AM UTC+0000