

PP-9135W



15.6" ANDROID Panel PC

- CPU : RK-3568 Quad-core Cortex-A55
- Memory : 4GB DDR4 on Board
- Storage : 64GB Built-in eMMC


01/ FEC ANDROID

FEC provides a complete series of Android POS. From 10" to 22" in for lightweight usage, wall-mount as digital display or with stand for different types of POS terminals.



02/ SIMPLE ANDROID PANEL PC

A refined A Android Panel PC allows various applications and can be adapted to different installations.



03/ 2nd Display

Dock the second display on the system or connect on the Stand for a larger monitor.




ANDROID


- CPU : RK-3568 Quad-core Cortex-A55
- Memory : 4GB DDR4 on Board
- Storage : 64GB Built-in eMMC

FEC PLATFORM

Multiple software service in one platform. Nubis as device monitoring supports image/ app OTA.



Specifications



CPU

- Rockchip RK-3568 Quad-core Cortex-A55 up to 2.0GHz



Storage

- 64GB Built-in eMMC



Speaker

- 2 x 2W Internal Speaker



Touch

- True-Flat PCAP



MTBF

- 30K Hours



Power

- 20V 90W External Adapter



Mounting

- VESA 100 x 100 mm



Appearance

- Plastic+Aluminum + Metal
- Galaxy Grey with Black



Dimensions (W x H x D)

- Product: 369 x 236 x 34 mm
- Carton: 468 x 448 x 156 mm



Memory

- 4GB DDR4 On Board



Connection

- WIFI 802.11 ac/b/g/n & BT 4.2 (Optional)



Display

- 15.6" TFT, 1920 x 1080



Brightness

- 300 nits



Camera

- 2MP Front Camera (Optional)



OS

- Android 12



Certification

- FCC / CE Class B



Temperature

- Operation: 0 °C ~ 40 °C (32 °F ~ 104 °F)
- Storage: -20 °C ~ 60 °C (-4 °F ~ 130 °F)



Weight

- Net: 3.17 Kg
- Gross: 5.19 Kg



Port

- 1 x 20V DC Input
- 1 x RJ45 Gigabit LAN
- 1 x Video Port
- 1 x RJ11 Cash Drawer (12V or 24V)
- 1 x SD/TF Card Slot (Max: 128GB)
- 1 x Recovery button
- 2 x USB 2.0, 1 x USB 3.0, 1 x USB 3.0 (OTG)
- 2 x RJ45 (COM1 & COM2) RS232 with 0V / 5V / 12V
- 1 x 12V DC Output

- Side I/O Interface:
1 x USB 2.0