RT710
RUGGED 10-INCH TABLET

Configuration Guide



RT710



RT710
NON-INCENDIVE (NI)
ATEX / IEC Ex



RT710
COLD
STORAGE



VEHICLE DOCK



DISPLAY DOCK



BATTERY CHARGER

BRADY

TABLE OF CONTENTS

1 **TABLE OF CONTENTS**

2 **RT710 FEATURE OVERVIEW**
S0703 STANDARD RANGE
STANDARD BATTERY
STANDARD BATTERY - OIS
S0803FR FLEXRANGE™ NEAR/ FAR RANGE
STANDARD BATTERY
STANDARD BATTERY - OIS
STANDARD BATTERY - UHF RFID
STANDARD BATTERY - UHF RFID - OIS
EXTENDED BATTERY - UHF RFID
NO SCANNER
NO BATTERY

10 **RT710 COLD STORAGE FEATURE OVERVIEW**
S0703 STANDARD RANGE
COLD STORAGE BATTERY
S0803FR FLEXRANGETM NEAR/ FAR RANGE
COLD STORAGE BATTERY
NO SCANNER
NO BATTERY

13 **RT710 NON-INCENDIVE / ATEX FEATURE OVERVIEW**
S0703 STANDARD RANGE
STANDARD BATTERY
STANDARD BATTERY - UHF RFID
STANDARD BATTERY - UHF RFID - OIS

16 **RT710 CONFIGURATION MAP**
ANDROID

17 **BRADY REPAIR SERVICES**
GOLD REPAIR SERVICES - 3 YEAR
PLATINUM REPAIR SERVICES - 3 YEAR
GOLD REPAIR SERVICES - 5 YEAR
PLATINUM REPAIR SERVICES - 5 YEAR
RT710 - REPAIR SERVICES COVERAGE

20 **RT710 SOFTWARE**
DEVICE CLIENT PACK

21 **RT710 SOFTWARE**
IVANTI VELOCITY

22 **RT710 ACCESSORIES**
ACCESSORIES

23 **RT710 DESKTOP COMMUNICATIONS**
OPTION 1 - USB-C TO USB-C
OPTION 2 - USB-A TO USB-C
OPTION 3 - FIXED WITH CHARGING DOCK
OPTION 4 - FIXED WITH DISPLAY DOCK
OPTION 5 - PORTABLE CABLE WITH EXTERNAL MONITOR

27 **RT710 VEHICLE INSTALL**
OPTION 1 - NEW INSTALL - TETHERED SCANNER
OPTION 2 - NEW INSTALL - BLUETOOTH SCANNER
OPTION 3 - NEW INSTALL - FREEZER INSTALL 36-48V - TETHERED SCANNER
OPTION 4 - THOR QUICK MOUNT - TETHERED SCANNER
RT710 STANDARD VEHICLE DOCK (RT710-VD-VS1) DETAIL VIEW
RT710 THOR VEHICLE DOCK (RT710-VD-TH1) DETAIL VIEW
MIGRATING THOR VM1A TO RT710
MIGRATING THOR VM3A TO RT710
MIGRATING RT10A TO RT710
MIGRATING RT10A WITH RT10-EVC / RT10-AVC / RT10-EVD / RT10-AVD TO RT710
MIGRATING RT10A WITH RT10-VC OR RT10-VD TO RT710

43 **RT710 WITH FIXED AC POWER**
STANDARD AC POWER CONNECTION FOR IT SETUP/ STAGING - NEW INSTALL (RT710-VD-VS1)
STANDARD AC POWER CONNECTION FOR IT SETUP/ STAGING - THOR QUICK MOUNT (RT710-VD-TH1)

45 **RT710 BATTERY**
SPARE BATTERY OPTIONS

46 **RT710 VESA MOUNT**
STATIONARY MOUNTING

47 **RT710 HEADSET**
PUSH TO TALK (PTT) AND VOIP HEADSET

48 **MISCELLANEOUS**
REPLACEMENT PARTS

49 **POWER**
WIRING KITS

50 **KEYBOARDS**
EXTERNAL KEYBOARD OPTIONS


51 **MOUNTING**
MOUNTING ACCESSORIES

52 **MOUNTING**
MOUNTING KITS FOR RT710-VD-TH1 INSTALLATION WITH QUICK MOUNT DOCKS

53 **MISCELLANEOUS**
MICRO-SD CARDS
AC CORDS

RT710 FEATURE OVERVIEW

S0703 Standard Range - Standard Battery



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0703 Standard Range







RT710 Android - 5G WWAN – S0703 – 8GB RAM/ 128GB Flash

RT710-X1N-57CS104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

RT710 Android - Wi-Fi Only – S0703 – 8GB RAM/ 128GB Flash

RT710-L0N-57CS104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services


	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

BRADY

RT710 FEATURE OVERVIEW

S0703 Standard Range - Standard Battery - OIS



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



RT710 Android - Wi-Fi Only – S0703 – 8GB RAM/ 128GB Flash

RT710-L0N-57PS104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, including Optical Image Stabilization (OIS), 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

S0803FR FlexRange™ Near/ Far Range - Standard Battery



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™







RT710 Android - Wi-Fi Only – S0803 FR – 16GB RAM/ 256GB Flash

RT710-L0N-88CS104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 16GB RAM/256GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

RT710 Android - Wi-Fi Only – S0803 FR – 8GB RAM/ 128GB Flash

RT710-L0N-58CS104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

S0803FR FlexRange™ Near/ Far Range - Standard Battery - OIS



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



RT710 Android - Wi-Fi Only – S0803 FR – 16GB RAM/ 256GB Flash

RT710-L0N-88PS104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 16GB RAM/256GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, including Optical Image Stabilization (OIS), 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

S0803FR FlexRange™ Near/ Far Range - Standard Battery - UHF RFID



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™









RT710 Android - 5G WWAN – S0803 FR – 16GB RAM/ 256GB Flash

RT710-X1R-88CS104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 16GB RAM/256GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

RT710 Android - 5G WWAN – S0803 FR – 8GB RAM/ 128GB Flash

RT710-X1R-58CS104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 8GB RAM/128GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

S0803FR FlexRange™ Near/ Far Range - Standard Battery - UHF RFID - OIS



Internal UHF RFID | Camera | Hot Battery Swap | 5G / GPS | Wi-Fi 7 / BT | Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™







RT710 Android - Wi-Fi Only – S0803 FR – 16GB RAM/ 256GB Flash

RT710-X1R-88PS104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 16GB RAM/256GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, including Optical Image Stabilization (OIS), 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

S0803FR FlexRange™ Near/ Far Range - Extended Battery - UHF RFID



Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTEC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™

RT710 Android - Wi-Fi Only – S0803 FR – 8GB RAM/ 128GB Flash

RT710-X1R-58CE104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 8GB RAM/128GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 20,000mAh Extended Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 FEATURE OVERVIEW

No Scanner - No Battery



Included in the box:

- RT710 Rugged Tablet
- Battery Blank Cover

(Stylus is NOT included, but available to order separately as an accessory)



No Scanner



RT710 Android - 5G WWAN – No Scanner – 8GB RAM/ 128GB Flash

RT710-X1N-50C0104G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, No Engine, 50MP Rear Camera / 8MP Front Camera, No Battery, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

RT710 Android - Wi-Fi Only – No Scanner – 8GB RAM/ 128GB Flash

RT710-L0N-50C0104G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, No Engine, 50MP Rear Camera / 8MP Front Camera, No Battery, Standard, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 COLD STORAGE FEATURE OVERVIEW

S0703 Standard Range - Cold Storage Battery

-30°C | Camera | Hot Battery Swap | 5G / GPS | Wi-Fi 7 / BT | Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTCS-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0703 Standard Range







RT710 Android - 5G WWAN – S0703 – 8GB RAM/ 128GB Flash

RT710-X1R-57CC1C4G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Cold Storage Battery with Heater (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Cold Storage, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

RT710 Android - Wi-Fi Only – S0703 – 8GB RAM/ 128GB Flash

RT710-L0N-57CC1C4G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Cold Storage Battery with Heater (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Cold Storage, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global


Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 COLD STORAGE FEATURE OVERVIEW

S0803FR FlexRangeTM Near/ Far Range - Cold Storage Battery



-30°C | Camera | Hot Battery Swap | Wi-Fi 7 / BT | Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTCS-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™







RT710 Android - Wi-Fi Only – S0803 FR – 8GB RAM/ 128GB Flash

RT710-L0N-58CC1C4G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Cold Storage Battery with Heater (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Cold Storage, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 COLD STORAGE FEATURE OVERVIEW

No Scanner - No Battery

-30°C | Camera | Wi-Fi 7 / BT | Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery Blank Cover

(Stylus is NOT included, but available to order separately as an accessory)



No Scanner

RT710 Android - Wi-Fi Only – No Scanner – 8GB RAM/ 128GB Flash

RT710-L0N-50C01C4G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, No Engine, 50MP Rear Camera / 8MP Front Camera, No Battery, Cold Storage, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 NON-INCENDIVE / ATEX FEATURE OVERVIEW

S0703 Standard Range - Standard Battery

Hazardous Area | Camera | Hot Battery Swap | 5G / GPS | Wi-Fi 7 / BT | S0703 Standard Range Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0703 Standard Range

RT710 Android - Wi-Fi Only – S0703 – 8GB RAM/ 128GB Flash

RT710-L0N-57CS1A4G	RT710, WLAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, Near Field Communications (NFC), Android (GMS), 8GB RAM/128GB Flash, S0703 Standard Range, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Hazardous Area, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 NON-INCENDIVE / ATEX FEATURE OVERVIEW

S0803FR FlexRangeTM Near/ Far Range - Standard Battery - UHF RFID

Internal UHF RFID | Hazardous Area | Hot Battery Swap | 5G / GPS | Wi-Fi 7 / BT | S0803FR FlexRange Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™

RT710 Android - 5G WWAN – S0803 FR – 8GB RAM/ 128GB Flash

RT710-X1R-58CS1A4G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 8GB RAM/128GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Hazardous Area, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

RT710 NON-INCENDIVE / ATEX FEATURE OVERVIEW

S0803FR FlexRangeTM Near/ Far Range - Standard Battery - UHF RFID - OIS

Internal UHF RFID | Hazardous Area | Hot Battery Swap | 5G / GPS | Wi-Fi 7 / BT | S0803FR FlexRange Scanner

Included in the box:

- RT710 Rugged Tablet
- Battery (RT710-BTSC-001)

(Stylus is NOT included, but available to order separately as an accessory)



S0803FR FlexRange™

RT710 Android - 5G WWAN – S0803 FR – 16GB RAM/ 256GB Flash

RT710-X1R-88PS1A4G	RT710, 5G WWAN, 10.0 inch 1920x1200 Display (1000 NITS), Wi-Fi 7 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO, BT6.0 & 2nd BLE, 1 x Nano SIM & 1 x eSIM, Near Field Communications (NFC) + UHF RFID, Android (GMS), 16GB RAM/256GB Flash, S0803FR FlexRange Green Aimer Spot, 50MP Rear Camera / 8MP Front Camera, including Optical Image Stabilization (OIS), 10,000mAh Standard Battery (Hot Swap), IP65/68, USB 3.2 Type C OTG, Quick Charge 4.0, Hazardous Area, Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License - Launcher, Enterprise Browser, BasicTE) Feature Pack 4, Global

Brady Repair Services

	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year

Note: Not all keypad / imager / environment combination is available in every region. Check your local Price Book to see which part numbers are available for sale.

BRADY

RT710 CONFIGURATION MAP

Android

RT710-	CONNECTIVITY	SIM	TECHNOLOGIES	MEMORY	SCAN ENGINE	CAMERA	BATTERY	ANDROID	DEPLOYMENT	SOFTWARE	REGION	DESCRIPTION	NOTES
	L											Wi-Fi 7 802.11 a/b/g/n/ac/mc/ax/be, 2x2 MU-MIMO + Bluetooth 6.0	IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO ; Wi-Fi certified, Wi-Fi 7 and Wi-Fi 6E certified Bluetooth V6.0 and BLE Supported Bluetooth Profiles: HFP, PBAP, A2DP, AVRCP, OPP, SPP, GATT
	X											5G, LTE (4G) GPS, UMTS/HSPA+ (3G) GSM/GPRS/EDGE Wi-Fi 7 802.11 a/b/g/n/ac/mc/ax/be, 2x2 MU-MIMO + Bluetooth 6.0	WWAN Radio (ATT/VZW/SPRINT/TMO/NA/EU) 5G FR1 – Bands 1,2,3,4,5,7,8,12,14,20,25,28,30,38,40,41,48,66,71,77,78,79 LTE – Bands 1,2,3,4,5,7,8,12,13,14,17,18,19,20,25,26,28,29,30,32,38,39,40,41,42,43,66,71 UMTS/HSPA+ (3G) – Bands 1, 2, 4, 5, 6, 8, 9, 19 / GSM/GPRS/EDGE Quad-Band (850/900/1800/1900 MHz) IEEE 802.11 a/b/g/n/ac/d/h/i/r/k/v/w/mc/ax/be, 2x2 MU-MIMO ; Wi-Fi certified, Wi-Fi 7 and Wi-Fi 6E certified Bluetooth V6.0 and BLE Supported Bluetooth Profiles: HFP, PBAP, A2DP, AVRCP, OPP, SPP, GATT
		0										No SIM	
		1										1 x Nano SIM & 1 x eSIM	
			N									Near Field Communications (NFC)	Integrated NFC reader, compliant with ISO/IEC 14443 A, ISO/IEC 14443 B, ISO/IEC 15693 (ICode), MIFARE 1K / 4K, MIFARE DESFire, Sony FeliCa, ISO/IEC 18092 (Type F)
			R									Near Field Communications (NFC) + UHF RFID	Integrated NFC reader, compliant with ISO/IEC 14443 A, ISO/IEC 14443 B, ISO/IEC 15693 (ICode), MIFARE 1K / 4K, MIFARE DESFire, Sony FeliCa, ISO/IEC 18092 (Type F)
				--									
					5							8GB RAM, 128GB Flash Memory	Qualcomm QCS6690/QCM6690 octa-core, 2.9GHz
					6							8GB RAM,256GB Flash Memory	Qualcomm QCS6690/QCM6690 octa-core, 2.9GHz
					8							16GB RAM, 256GB Flash Memory	Qualcomm QCS6690/QCM6690 octa-core, 2.9GHz
					9							16GB RAM, 512GB Flash Memory	Qualcomm QCS6690/QCM6690 octa-core, 2.9GHz
						0						No Scanner	
						7						1D/2D Imager (S0703SR) – Standard Range	
						8						1D/2D Imager (S0803FR) – FlexRange™	
							C					50MP Rear Camera / 8MP Front Camera	
							P					50MP Rear Camera / 8MP Front Camera+ OIS	Including Optical Image Stabilization (OIS)
								0				No Battery	
								C				Cold Storage Battery with Heater	10,000mAh
								E				Extended Battery	20,000mAh
								S				Standard Battery	10,000mAh
									1			Android (GMS)	Google Mobile Services (GMS) certified – Play Store
									2			Android (Non-GMS)	
										0		Standard Environment	
										A		Hazardous Area - Non-Incendive / ATEX / IEC Ex	
										C		Cold Storage	
											4	Feature Pack 4	
											G	Global (WWAN or Wi-Fi)	Australia, Austria, Belgium, Brazil, Canada, Chile, China, Colombia, Costa Rica, Croatia, Czech Republic, Denmark, Ecuador, Egypt, Estonia, Finland, France, Germany, Greece, Hong Kong, Hungary, Indonesia, Ireland, Israel, Italy, Japan, Korea, Lithuania, Malaysia, Mexico, Morocco, Netherlands, New Zealand, Norway, Peru, Philippines, Poland, Portugal, Qatar, Romania, Saudi Arabia, Serbia, Singapore, Slovakia, Slovenia, South Africa, Spain, Sweden, Switzerland, Taiwan, Thailand, Tunisia, Turkey, Ukraine, United Arab Emirates, United Kingdom, United States of America, Vietnam.



BRADY REPAIR SERVICES

RT710 Series - Repair Services

Brady Repair Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.
For a full description of maintenance services, including terms and conditions, please see **https://automation.honeywell.com/us/en/services/productivity-solutions/support-services/maintenance-services**

Gold Repair Services - 3 Year

The Repair Services Gold Support contract allows flexibility for you to select the right coverage for your organization, including 5-Day Depot Repairs and:

Service Overview

- Repair or replacement (at Brady discretion) for damaged components, wear and tear, accidental damage
- Flexibility to add any Add-On Service
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCRT710-SG3N	RT710, Repair Service, GOLD Maintenance Contract, Android Updates and Patches, 5 Day Turnaround, **3 Year,** New Contract

Add-On Accessory Replacement Service
Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, **3 Year**. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service
Provides replacement batteries as needed after a minimum of 18 months post-purchase.

SVCBATTERY-MOB3	AddOn, Repair Service, Battery Service, Mobility, **3 Year**, 1 Replacement Battery over life of contract

Add-On Device Replacement Service
Replacement devices should a device be damaged beyond repair.

SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, , Mobility, **3 Year**

Add-On 2-Day Turnaround Depot Upgrade
Upgrade your Gold Maintenance Contract from 5-Day to 2-Day turnaround at the repair depot.

SVC2DAYDEPOT-MOB3	AddOn, Repair Service, 2-Day Depot Upgrade, **3-Year** Agreement, Requires purchase of a **3 Year** Gold Maintenance Contract.


Platinum Repair Services - 3 Year

The Repair Services Platinum Support contract offers 2-Day Depot Repairs or Spare Pool Management with 3 year contract that includes:

Service Overview

- Repair or replacement (at Brady discretion) for damaged components, wear and tear, accidental damage
- SVCREPLACE-MOB3 - Replacement devices should a device be damaged beyond repair
- SVCACC-MOB3 - Accessory replacement service
- SVCBATTERY-MOB3 - Battery replacement service
- Telephone-based technical support
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCRT710-SP3N	RT710, Repair Service, PLATINUM Maintenance Contract, Android Updates and Patches, Battery Refresh, Device Replacement, Accessory Replacement, 2 Day Turnaround, **3 Year,** New Contract



BRADY REPAIR SERVICES

RT710 Series - Repair Services

Brady Repair Services give you the confidence of having leading-class technologies combined with service and support plans that are designed to keep you operational for longer.
For a full description of maintenance services, including terms and conditions, please see **https://automation.honeywell.com/us/en/services/productivity-solutions/support-services/maintenance-services**

Gold Repair Services - 5 Year

The Repair Services Gold Support contract allows flexibility for you to select the right coverage for your organization, including 5-Day Depot Repairs and:

Service Overview

- Repair or replacement (at Brady discretion) for damaged components, wear and tear, accidental damage
- Flexibility to add any Add-On Service
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCRT710-SG5N	RT710, Repair Service, GOLD Maintenance Contract, Android Updates and Patches, 5 Day Turnaround, **5 Year,** New Contract

Add-On Accessory Replacement Service
Provides replacement chargers, docks, charging cables, or scan handles should they be damaged or stop working.

SVCACC-MOB5	AddOn, Repair Service, Accessory Service , Mobility, **5 Year**. Service covers docks, charger cradles, scan handles

Add-On Battery Replacement Service
Provides replacement batteries as needed after a minimum of 18 months post-purchase.

SVCBATTERY-MOB5	AddOn, Repair Service, Battery Service, Mobility, **5 Year**, 2 Replacement Battery over life of contract

Add-On Device Replacement Service
Replacement devices should a device be damaged beyond repair.

SVCREPLACE-MOB5	AddOn, Repair Service, Device Replacement, , Mobility, **5 Year**

Add-On 2-Day Turnaround Depot Upgrade
Upgrade your Gold Maintenance Contract from 5-Day to 2-Day turnaround at the repair depot.

SVC2DAYDEPOT-MOB5	AddOn, Repair Service, 2-Day Depot Upgrade, **5-Year** Agreement, Requires purchase of a **5 Year** Gold Maintenance Contract.


Platinum Repair Services - 5 Year

The Repair Services Platinum Support contract offers 2-Day Depot Repairs or Spare Pool Management with 5 year contract that includes:

Service Overview

- Repair or replacement (at Brady discretion) for damaged components, wear and tear, accidental damage
- SVCREPLACE-MOB5 - Replacement devices should a device be damaged beyond repair
- SVCACC-MOB5 - Accessory replacement service
- SVCBATTERY-MOB5 - Battery replacement service
- Telephone-based technical support
- Android Service - includes Android OS Upgrades, Maintenance Releases and Security Patches

PART NUMBER	DESCRIPTION
SVCRT710-SP5N	RT710, Repair Service, PLATINUM Maintenance Contract, Android Updates and Patches, Battery Refresh, Device Replacement, Accessory Replacement, 2 Day Turnaround, **5 Year,** New Contract



BRADY REPAIR SERVICES

RT710 - Repair Services Coverage

Service options tailored to customer requirements

BASIC

RT710




Warranty Cover Against
Product Defect

GOLD

Gold Coverage:
- Accidental Damage
- Wear & Tear
- Android Service

Includes Replacement of:
- Screen Protector



Flexible GOLD Add-Ons ordered separately

• SVCACC-MOB3	Accessories
• SVCBATTERY-MOB3	Batteries
• SVCREPLACE-MOB3	Device Replacement

PLATINUM

Platinum Coverage
- Battery Replacement
- Coverage for Docks/ Chargers
- Android Service
- Accidental Damage
- Device Replacement
- Wear & Tear



Keyboards



Vehicle Dock



Docks



Battery
(3 Year – 1 replacement battery per RT710)
(5 Year – 2 replacement batteries per RT710)



Battery Chargers



Dock Power Supplies

MODEL	COVERAGE	PART NUMBER	DESCRIPTION
RT710	BASIC	SVCRT710-EXW2	RT710, BASIC, 10-15 Day Turnaround, 2 Years (1 Year Factory Warranty + 1 Year Extended)
RT710	GOLD	SVCRT710-SG3N	RT710, Repair Service, GOLD Maintenance Contract, 5 Day Turnaround, 3 Year, New Contract
	ADD	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers docks, charger cradles, scan handles and car adapter
	ADD	SVCBATTERY-MOB3	AddOn, Repair Service, Battery Service, Mobility, 3 Year, 1 Replacement Battery over life of contract
	ADD	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
RT710	PLATINUM	SVCRT710-SP3N	RT710, Repair Service, PLATINUM, 2 Day Turnaround, 3 Year, New Contract

RT710 SOFTWARE

Device Client Pack

The Device Client Pack (DCP) includes Launcher, Enterprise Browser, BasicTE, and Mobility Web SDK, these applications are pre-loaded on the device.
All RT710 units include a 1 Year DCP Termed Pre-License for initial evaluation of the DCP applications (it does NOT include a Perpetual Pre-License), after the 1 Year Term period expires, a Perpetual or Term license is required to be purchased.
There are two licensing options that can be purchased for DCP:

1. **Perpetual License** — **Purchase DCP-001 - Perpetual Licenses operate without expiration for the authorized software version features, and includes 1 year of Maintenance. Add additional Software Maintenance separately.**
2. **Term + Maintenance License** — **Purchase DCP-SFT1, DCP-SFT2, DCP-SFT3, DCP-SFT4 or DCP-SFT5 - Term + Maintenance Licenses provide software operation, software new version features, and tech support, all for a defined period.**

Device Client Pack

BasicTE

Launcher

Enterprise Browser



Launcher - gives the customer total control over which apps can be run on the device.


BasicTE Android device Terminal Emulation is a simplified alternative for those not yet ready to upgrade to SmartTE.

Enterprise Browser provides corporations the ability to run standard web applications from a controlled environment.

PART NUMBER	DESCRIPTION
DCP-001	Device Client Pack - Perpetual License + 1 Year Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)
DCP-SFT1	Device Client Pack - 1 Year Term + Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)
DCP-SFT2	Device Client Pack - 2 Year Term + Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)
DCP-SFT3	Device Client Pack - 3 Year Term + Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)
DCP-SFT4	Device Client Pack - 4 Year Term + Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)
DCP-SFT5	Device Client Pack - 5 Year Term + Maintenance (Launcher, Enterprise Browser, BasicTE, and Web SDK)

Order Separately

SmartTE Terminal Emulator



Terminal Emulator – Full featured SmartTE allows legacy green screen apps to be transformed to the look and feel of native apps. They can also utilize traditional single or multi-session StayLinked Licenses. SmartTE is Pre-Loaded, but requires a license to be purchased separately.


PART NUMBER	DESCRIPTION
SMARTTE-001	SmartTE (Single/Multi path initial license). Includes 1 year of maintenance.
SMARTTE-003	SmartTE (Single/Multi path initial license). Includes 3 year of maintenance.
SMARTTE-005	SmartTE (Single/Multi path initial license). Includes 5 year of maintenance.
SMARTTE-SFT1	SmartTE 1 Year Software Maintenance After Initially Purchased Term
SMARTTE-SND-SFT1	SmartTE - High availability secondary backup or development server 1 year maintenance. Not for primary server. Purchase one per device.

RT710 SOFTWARE

Ivanti Velocity

Ivanti Velocity is an industrial mobile client that incorporates support for both telnet and web host applications, designed with barcode scanning and text input in mind, Velocity integrates with Brady mobile computers and supports fully customizable context sensitive keyboards to ensure accuracy and speed of data input.
There are seperate licenses for Velocity TE or Velocity WEB that can be purchased, only subscription licenses are available to order.

Velocity TE



Native Mode

Ivanti Velocity

Velocity WEB



Modernization

Velocity TE - Terminal Emulation that supports the most commonly used emulation types, including VT, 5250 and 3270. Easily set up controls that validate, convert and parse data from scanned barcode data and streamline workflows by automating common functions. Create custom keyboard maps and host profiles as well as hot keys to shortcut common commands and processes.

PART NUMBER	REGION	DESCRIPTION
VELOCTE-OEM-1-HON	All except EU	Ivanti Velocity TE OEM **1 Year Subscription**, includes 1 year software maintenance.
VELOCTE-OEM-3-HON	All except EU	Ivanti Velocity TE OEM **3 Year Subscription**, includes 3 years software maintenance.
VELOCTE-OEM-5-HON	All except EU	Ivanti Velocity TE OEM **5 Year Subscription**, includes 5 years software maintenance.
VELOCTE-OEM-1-H-EU	EU Only	Ivanti Velocity TE OEM **1 Year Subscription**, includes 1 year software maintenance - Euro.
VELOCTE-OEM-3-H-EU	EU Only	Ivanti Velocity TE OEM **3 Year Subscription**, includes 3 years software maintenance - Euro.
VELOCTE-OEM-5-H-EU	EU Only	Ivanti Velocity TE OEM **5 Year Subscription**, includes 5 years software maintenance - Euro.

Velocity WEB - Industrial Browser is a locked down user experience, with no web address bar and hidden browser navigation buttons ensuring that users focus on the transaction at hand. Ensure that web host application screens are optimized for a mobile display without having to touch the host application.

PART NUMBER	REGION	DESCRIPTION
VELOCWEB-OEM-1-HON	All except EU	Ivanti Velocity WEB OEM **1 Year Subscription**, includes 1 year software maintenance.
VELOCWEB-OEM-3-HON	All except EU	Ivanti Velocity WEB OEM **3 Year Subscription**, includes 3 years software maintenance.
VELOCWEB-OEM-5-HON	All except EU	Ivanti Velocity WEB OEM **5 Year Subscription**, includes 5 years software maintenance.
VELOCWEB-OEM-1-HEU	EU Only	Ivanti Velocity WEB OEM **1 Year Subscription**, includes 1 year software maintenance - Euro.
VELOCWEB-OEM-3-HEU	EU Only	Ivanti Velocity WEB OEM **3 Year Subscription**, includes 3 years software maintenance - Euro.
VELOCWEB-OEM-5-HEU	EU Only	Ivanti Velocity WEB OEM **5 Year Subscription**, includes 5 years software maintenance - Euro.

RT710 ACCESSORIES

Accessories



RT710-BTSC-001

Standard Battery



RT710-BTEC-001

Extended Battery



RT710-BTCS-001

Cold Storage Battery



RT710-CD

RT710 Charging Dock



RT710-DD

RT710 Display Dock



RT710-BC-2

2-Bay Battery Charger



RT710-VD-KB1

RT710 Keyboard 1-row




RT710-VD-KB2

RT710 Keyboard 2-row



RT710-VD-KB4

RT710 Keyboard 4-row



RT710-VD-VS1

RT710 Vehicle Dock - VESA



RT710-VD-TH1

RT710 Vehicle Dock - Thor



RT710-CONV-CABLE

ZEB power cable to HON ignition cable




RT710-3PN-PWRCVRT

RT10 3-pin term block on RT10-VC & RT10-VD to 6-pin ignition cable used with RT710-VD-VS1




USBC-2-HDMI

Cable, Type USB-C to HDMI



RT710-MNT-VS

RT710 Stationary plate 75x75 VESA




RT710-SP-1

RT710 Screen Protector

RT710 DESKTOP COMMUNICATIONS

Option 1 - USB-C to USB-C


USB-C Communication to PC/ Mac
Note: Charging the RT710 via a host device (e.g., laptop or desktop computer) is not recommended.



	PART NUMBER	DESCRIPTION
1	CABLE-USBC-PD2	CK67 USB-C to Right Angle USB-C cable

Option 2 - USB-A to USB-C

USB-C Communication to PC/ Mac
Note: Charging the RT710 via a host device (e.g., laptop or desktop computer) is not recommended.



	PART NUMBER	DESCRIPTION
1	CBL-500-120-S00-06	USB type A to type C, 1.2 m (3.9 ft)

Note: Charging via USB-C
To charge using USB-C, you will need a cable and a power supply that meet the following minimum requirements:
- USB-C charger: Power Delivery (PD) 3.0/3.1+ certified with Programmable Power Supply (PPS), 65W
- USB-C cable: 5A/E-marked, USB PD 3.0/3.1+ compatible

RT710 DESKTOP COMMUNICATIONS

Option 3 - Fixed with Charging Dock

Charge Only dock for RT710 tablet.

RT710-CD Charging Dock



Rear View



	PART NUMBER	DESCRIPTION
1	RT710-CD	RT710 Charging Dock; Includes Dock & Power Supply, No Power Cord
2	**	IEC C13 AC Power Cord – See Page **53** for Country Specific Power Cords

RT710 DESKTOP COMMUNICATIONS

Option 4 - Fixed with Display Dock

Connect USB peripherals (keyboard, mouse), Ethernet networking and External Monitor via HDMI.

Display Dock supports:

- Primary Mode
- Mirror Mode
- Desktop Mode - requires additional Device Client Pack (DCP) license.



RT710-DD Display Dock



Ethernet USB A HDMI POWER

Rear View

Side View

	PART NUMBER	DESCRIPTION
1	RT710-DD	RT710 Display Dock, Ports: (2)USB, Audio, Mic, DB9F, HDMI, RJ45; Includes Dock & Power Supply. Requires country-specific power cord.
2	**	IEC C13 AC Power Cord – See Page **53** for Country Specific Power Cords


RT710 DESKTOP COMMUNICATIONS

Option 5 - Portable cable with External Monitor

Portable cable to easily connect USB peripherals (keyboard, mouse) direct to the RT710 USB ports as well as an External Monitor via USB-C to HDMI.

USB-C to HDMI cable supports:

- Primary Mode
- Mirror Mode
- Desktop Mode - requires additional Device Client Pack (DCP) license.



	PART NUMBER	DESCRIPTION
1	USBC-2-HDMI	RT710 Cable, Type USB-C to HDMI

RT710 VEHICLE INSTALL

Option 1 - New Install - Tethered Scanner

Best used when the vehicle input voltage varies, 9 - 60V.



	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CS104G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP66/68, Standard Environment, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting, includes locking key and mounting screws
3a	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A030RAMBALL	RAM, BASE, SIZE ´D´ 2.25´ Ball, 3.69´ Round Plate
4	VM3054CABLE	VM1, VM2, VM3 DC power cable right angle (spare) with in-line fuse kit
5	RT710-VD-KB4	RT710 Keyboard 4-row
6	2100iXLR-3SERR	Granit Ultra RS232 Kit: Tethered, Rugged, 1D/2D, Extreme Long Range, Vibrator, Red Scanner (2100iXLR-3SER), RS232 Cable (CBL-020-300-C00-01)
7	TOOLBAL	Scanner take up reel/balancer
8	VMHOLDER2K	Vehicle Mount Cup: Granit scanner cup with 1 inch ('B' Size) diameter ball joint attachment.
9	VMHOLDER4K	Vehicle mount kit: Contains adjustable arm with 1 in. dia. ball joints and square post clamp base for posts up to 3 in. wide and 2 ½ in thick.

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.
3b	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A031RAMBALL	RAM, BASE, SIZE ´D´ 2.5´ Ball, RAIL CLAMP for 2.50´ WID

	REPAIR SERVICE	DESCRIPTION
	SVC2100i-SG3N	**2100i, Repair Service, GOLD Maintenance Contract, 3 Year, New Contract**
ADD-ON	SVCREPLACE-SCN3	AddOn, Repair Service, Device Replacement, Scanner, 3 Year
ADD-ON	SVCACC-SCN3	AddOn, Repair Service, Accessory Service , Scanner, 3 Year. Service covers scanner cables.

RT710 VEHICLE INSTALL

Option 2 - New Install - Bluetooth Scanner

Best used when the vehicle input voltage varies, 9 - 60V.



	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CS104G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP66/68, Standard Environment, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting, includes locking key and mounting screws
3a	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A030RAMBALL	RAM, BASE, SIZE ´D´ 2.25´ Ball, 3.69´ Round Plate
4	VM3054CABLE	VM1, VM2, VM3 DC power cable right angle (spare) with in-line fuse kit
5	RT710-VD-KB4	RT710 Keyboard 4-row
6	2105iXLR-3-CLR	Granit Ultra Scanner-Only: Cordless, Bluetooth, Rugged, 1D/2D, Extreme Ultra Long Range, Vibrator, Contact Charging, Red Scanner, Battery (BAT-SCN11)
7	TOOLBAL	Scanner take up reel/balancer
8	VMHOLDER2K	Vehicle Mount Cup: Granit scanner cup with 1 inch ('B' Size) diameter ball joint attachment.
9	VMHOLDER4K	Vehicle mount kit: Contains adjustable arm with 1 in. dia. ball joints and square post clamp base for posts up to 3 in. wide and 2 ½ in thick.

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.
3b	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A031RAMBALL	RAM, BASE, SIZE ´D´ 2.5´ Ball, RAIL CLAMP for 2.50´ WID

	REPAIR SERVICE	DESCRIPTION
	SVC2105i-SG3N	**2105i, Repair Service, GOLD Maintenance Contract, 3 Year, New Contract**
ADD-ON	SVCREPLACE-SCN3	AddOn, Repair Service, Device Replacement, Scanner, 3 Year
ADD-ON	SVCACC-SCN3	AddOn, Repair Service, Accessory Service , Scanner, 3 Year. Service covers scanner cables.

RT710 VEHICLE INSTALL

Option 3 - New Install - Freezer Install 36-48V - Tethered Scanner

Best used when the vehicle input voltage varies, 9 - 60V.



	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CC1C4G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Cold Storage, GMS, IP66/68, Cold Storage Battery, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting, includes locking key and mounting screws
3a	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A030RAMBALL	RAM, BASE, SIZE ´D´ 2.25´ Ball, 3.69´ Round Plate
4	VM3054CABLE	VM1, VM2, VM3 DC power cable right angle (spare) with in-line fuse kit
5	RT710-VD-KB4	RT710 Keyboard 4-row
6	2100iXLR-3SERR	Granit Ultra RS232 Kit: Tethered, Rugged, 1D/2D, Extreme Long Range, Vibrator, Red Scanner (2100iXLR-3SER), RS232 Cable (CBL-020-300-C00-01)
7	TOOLBAL	Scanner take up reel/balancer
8	520-36/48-H3	Scanner heater to prevent fogging in freezer operations Includes cable retractor. For use with 36-48V power. Configured for Granit series scanner compatibility.

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.
3b	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, SHORT 5´ LENGTH
	VX89A031RAMBALL	RAM, BASE, SIZE ´D´ 2.5´ Ball, RAIL CLAMP for 2.50´ WID

	REPAIR SERVICE	DESCRIPTION
	SVC2100i-SG3N	**2100i, Repair Service, GOLD Maintenance Contract, 3 Year, New Contract**
ADD-ON	SVCREPLACE-SCN3	AddOn, Repair Service, Device Replacement, Scanner, 3 Year
ADD-ON	SVCACC-SCN3	AddOn, Repair Service, Accessory Service , Scanner, 3 Year. Service covers scanner cables.

RT710 VEHICLE INSTALL

Option 4 - Thor Quick Mount - Tethered Scanner

Best used when the vehicle input voltage varies, 10 - 60V.



	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CS104G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP66/68, Standard Environment, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	VM1001VMCRADLE	DOCK WITH INTEGRAL POWER SUPPLY, 10 TO 60 VDC, DC POWER CABLE INCLUDED
OR	VM3001VMCRADLE	ENHANCED DOCK WITH INTEGRAL POWER SUPPLY, 10 TO 60 VDC, DC POWER CABLE INCLUDED
3a	VM1001BRKTKIT	RAM mount kit, **Round Base, Short arm** 5inch (128 mm)
OR	VM1002BRKTKIT	RAM mount kit, **Round Base, Medium arm** 8.5inch (215 mm)
4	RT710-VD-TH1	RT710 Thor Vehicle Dock with Integrated Speakers; adapts to Thor Quick Mount Dock.
5	RT710-VD-KB4	RT710 Keyboard 4-row
6	2100iXLR-3SERR	Granit Ultra RS232 Kit: Tethered, Rugged, 1D/2D, Extreme Long Range, Vibrator, Red Scanner (2100iXLR-3SER), RS232 Cable (CBL-020-300-C00-01)
7	TOOLBAL	Scanner take up reel/balancer
8	VMHOLDER2K	Vehicle Mount Cup: Granit scanner cup with 1 inch ('B' Size) diameter ball joint attachment.
9	VMHOLDER4K	Vehicle mount kit: Contains adjustable arm with 1 in. dia. ball joints and square post clamp base for posts up to 3 in. wide and 2 ½ in thick.

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.
3b	VM1004BRKTKIT	RAM mount kit, **Clamp Base, Short arm** 5inch (128 mm)
OR	VM1005BRKTKIT	RAM mount kit, **Clamp Base, Medium arm** 8.5inch (215 mm)


	REPAIR SERVICE	DESCRIPTION
	SVC2100i-SG3N	**2100i, Repair Service, GOLD Maintenance Contract, 3 Year, New Contract**
ADD-ON	SVCREPLACE-SCN3	AddOn, Repair Service, Device Replacement, Scanner, 3 Year
ADD-ON	SVCACC-SCN3	AddOn, Repair Service, Accessory Service , Scanner, 3 Year. Service covers scanner cables.

RT710 VEHICLE INSTALL

RT710 Standard Vehicle Dock (RT710-VD-VS1) Detail View



Front View
(No Keyboard installed)



Rear View



Rear Angle View



USB 1 DB9F
USB-A
RJ45 Ethernet
COM 2 DB9M
COM 1 DB9M
INPUT 9-60VDC

Connector View



Keys
(included with RT710-VD-VS1)



VM3054CABLE
(Order Separately)




Mounting Screws
(included with RT710-VD-VS1)

RT710 VEHICLE INSTALL


RT710 Thor Vehicle Dock (RT710-VD-TH1) Detail View



Front View
(No Keyboard installed)




Rear View



Rear Angle View



Bottom View



Rear View with QM3 Thor Dock



Keys
(included with RT710-VD-TH1)



VM3054CABLE
(Order Separately)

RT710 VEHICLE INSTALL

Migrating Thor VM1A to RT710

Power Supply

For migrating an existing Thor VM1A installation to RT710, most accessories can be re-used with the RT710.






RT710 VEHICLE INSTALL

Migrating Thor VM1A to RT710

Power Supply

For migrating an existing Thor VM1A installation to RT710, most accessories can be re-used with the RT710.





RT710 VEHICLE INSTALL

Migrating Thor VM1A to RT710

Power Supply

For migrating an existing Thor VM1A installation to RT710, most accessories can be re-used with the RT710.
If using the existing Thor VM1A power supply installation, the RT710-VD-TH1 Vehicle Dock uses the same Thor Quick Mount Dock and power cables.
Dock: Use RT710-VD-TH1 Vehicle Dock, this allows you to re-use the existing "D" RAM Mount installation.

Mounts

Reuse existing single ball “D” RAM Mount

Scanners

Reuse existing Honeywell Granit Scanners.



Thor VM1A



	PART NUMBER	DESCRIPTION
1	RT710-VD-TH1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required Compatible with Thor Smart Docks
2	RT710-VD-KB4	RT710 Keyboard 4-row

RT710 VEHICLE INSTALL

Migrating Thor VM3A to RT710

Power Supply

For migrating an existing Thor VM3A installation to RT710, most accessories can be re-used with the RT710.







RT710 VEHICLE INSTALL

Migrating Thor VM3A to RT710

Power Supply

For migrating an existing Thor VM3A installation to RT710, most accessories can be re-used with the RT710.





RT710 VEHICLE INSTALL

Migrating Thor VM3A to RT710

Power Supply

For migrating an existing Thor VM1A installation to RT710, most accessories can be re-used with the RT710.
If using the existing Thor VM1A power supply installation, the RT710-VD-TH1 Vehicle Dock uses the same Thor Quick Mount Dock and power cables.
Dock: Use RT710-VD-TH1 Vehicle Dock, this allows you to re-use the existing "D" RAM Mount installation.

Mounts

Reuse existing single ball “D” RAM Mount

Scanners

Reuse existing Honeywell Granit Scanners.

External Keyboards

Reuse existing Honeywell keyboards.

Thor VM3A





	PART NUMBER	DESCRIPTION
1	RT710-VD-TH1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required Compatible with Thor Smart Docks
2	RT710-VD-KB1	RT710 Keyboard 1-row

RT710 VEHICLE INSTALL

Migrating RT10A to RT710

Power Supply

For migrating an existing RT10A installation to RT710, most accessories can be re-used with the RT710.






RT710 VEHICLE INSTALL

Migrating RT10A to RT710

Power Supply

For migrating an existing RT10A installation to RT710, most accessories can be re-used with the RT710.





RT710 VEHICLE INSTALL

Migrating RT10A with RT10-EVC / RT10-AVC / RT10-EVD / RT10-AVD to RT710

Power Supply

For migrating an existing RT10A installation to RT710, most accessories can be re-used with the RT710, the RT10-EVC or RT10-EVD vehicle docks are not compatible with RT710.
If using the existing RT10-EVC or RT10-EVD power supply installation, the RT710-VD-VS1 Vehicle Dock uses the same power cables.
Dock: Use RT710-VD-VS1 Vehicle Dock, this allows you to re-use the existing "D" RAM Mount installation.

Mounts

Reuse existing single ball RT10-MNT-RAM “D” RAM Mount

Scanners

Reuse existing Honeywell Granit Scanners.

External Keyboards

Reuse existing Honeywell keyboards.



RT10-EVC



RT10-AVC



RT10-EVD



RT10-AVD



RT10A



	PART NUMBER	DESCRIPTION
1	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting, includes locking key and mounting screws
2	RT710-VD-KB4	RT710 Keyboard 4-row

RT710 VEHICLE INSTALL

Migrating RT10A with RT10-VC or RT10-VD to RT710

Power Supply

For migrating an existing RT10A installation to RT710, most accessories can be re-used with the RT710, the RT10-VC or RT10-VD vehicle docks are not compatible with RT710.
If using the existing RT10-VC or RT10-VD terminal block power supply installation, the RT710-3PN-PWRCVRT adapter cable is required to convert the 3-pin terminal block to 6-pin connection into RT710-VD-VS1.
Dock: Use RT710-VD-VS1 Vehicle Dock, this allows you to re-use the existing "D" RAM Mount installation.

Mounts

Reuse existing single ball RT10-MNT-RAM “D” RAM Mount

RT10-VC



RT10-VD



RT10A





	PART NUMBER	DESCRIPTION
1	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting includes locking key and mounting screws
2	RT710-VD-KB4	RT710 Keyboard 4-row
3	RT710-3PN-PWRCVRT	RT710 Converts 3-pin terminal block on RT10-VC & RT10-VD to 6-pin ignition cable used with RT710-VD-VS1

RT710 WITH FIXED AC POWER

Standard AC Power Connection for IT Setup/ Staging - New Install (RT710-VD-VS1)




	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CS104G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP66/68, Standard Environment, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	RT710-VD-VS1	RT710 Vehicle Dock with Integrated Speakers; Accessory Keyboard Required; I/O Ports: (2) RS232 Serial, DB9F USB, (2) USB-A BC1.2,RJ45, (3) RF Antenna SMA, RJ45; 75x75 VESA pattern mounting includes locking key and mounting screws
	RT710-VD-KB4	RT710 Keyboard 4-row
3	RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.
	VX89A501RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, MEDIUM 8.5´ LENGTH
	VX89A030RAMBALL	RAM, BASE, SIZE ´D´ 2.25´ Ball, 3.69´ Round Plate
4	VM1078CABLE	POWER CABLE ADAPTER FOR AC POWER SUPPLY, required for VM1301PWRSPLY or VM1302PWRSPLY
5	VX89531PLATE	RAM METAL TABLE STAND PLATE, NO BALL INCLUDED
6	VM1302PWRSPLY	AC/DC POWER SUPPLY, (C14 TYPE POWER CORD REQUIRED)
7	**	IEC C13 AC Power Cord – See Page 53 for Country Specific Power Cords

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.

RT710 WITH FIXED AC POWER

Standard AC Power Connection for IT Setup/ Staging - Thor Quick Mount (RT710-VD-TH1)



	PART NUMBER	DESCRIPTION
1	RT710-L0N-57CS104G	RT710: WIFI7, No Sim, 10´ Screen, Full Touchscreen, 8GB/128GB, Standard Range Engine-Red Laser, Front & Rear Camera, Standard Battery, GMS, IP66/68, Standard Environment, No Gov Cert., Launcher/Browser/BasicTE, Rest of World
2	RT710-VD-TH1	RT710 Thor Vehicle Dock with Integrated Speakers; adapts to Thor Quick Mount Dock.
3	VM1001VMCRADLE	DOCK WITH INTEGRAL POWER SUPPLY, 10 TO 60 VDC, DC POWER CABLE INCLUDED
OR	VM3001VMCRADLE	ENHANCED DOCK WITH INTEGRAL POWER SUPPLY, 10 TO 60 VDC, DC POWER CABLE INCLUDED
4	VM1001BRKTKIT	RAM mount kit, **Round Base, Short arm** 5inch (128 mm)
	VM1002BRKTKIT	RAM mount kit, **Round Base, Medium arm** 8.5inch (215 mm)
5	VM1078CABLE	POWER CABLE ADAPTER FOR AC POWER SUPPLY, required for VM1301PWRSPLY or VM1302PWRSPLY
6	VX89531PLATE	RAM METAL TABLE STAND PLATE, NO BALL INCLUDED
7	VM1302PWRSPLY	AC/DC POWER SUPPLY, (C14 TYPE POWER CORD REQUIRED)
8	AC CORD	IEC C13 AC Power Cord – See Page 53 for Country Specific Power Cords
9	VM3052CABLE	VM3 USB Y CABLE - USB/USB2 PORT TO TWO USB TYPE A PLUG (HOST), 10 INCH
10	VM1052CABLE	VM SERIES USB Y CABLE - USB/USB1 PORT TO USB TYPE A PLUG 6 FT (1.8m) HOST AND USB TYPE A SOCKET 0.5 FT (0.15m) CLIENT

	REPAIR SERVICE	DESCRIPTION
	SVCRT710-SG3N	**RT710, Repair Service, Gold Maintenance Contract, Android Updates and Patches, 3 Year, New Contract**
ADD-ON	SVCREPLACE-MOB3	AddOn, Repair Service, Device Replacement, Mobility, 3 Year
ADD-ON	SVCACC-MOB3	AddOn, Repair Service, Accessory Service , Mobility, 3 Year. Service covers Vehicle Mount docks.

RT710 BATTERY

Spare Battery Options



1 **RT710 Standard Battery**
RT710-xxx-xxxSxxxx





2 **RT710 Cold Storage Battery**
RT710-xxx-xxxCxxxx





3 **RT710 Extended Battery**
RT710-xxx-xxxExxxx





	PART NUMBER	DESCRIPTION
1	RT710-BTSC-001	RT710 Standard Battery, 10,000 mAh
2	RT710-BTCS-001	RT710 Cold Storage Battery, 10,000 mAh, Required for charging inside freezer environment
3	RT710-BTEC-001	RT710 Extended Battery, 20,000 mAh

RT710 VESA MOUNT

Stationary Mounting

VESA Mount for permanent mounting of the EDA10A, used in combination with USB C power supply as the plate restricts access to the battery.






	PART NUMBER	DESCRIPTION
1	RT710-MNT-VS	RT710, stationary adapter plate. Allows 75x75mm VESA pattern hole mount kit. Used for permanent mounting of the RT710 tablet. Not recommended for vehicle mounting.

RT710 HEADSET

Push To Talk (PTT) and VoIP Headset

PTT and VoIP ready to support In-Store Communication with leading 3rd party applications.






	PART NUMBER	DESCRIPTION
1	MBL-HDST-USBC	Headset with PTT, USB C

MISCELLANEOUS

Replacement Parts



PART NUMBER	DESCRIPTION
RT710-SP-1	RT710 Screen Protector; 1 pack



PART NUMBER	DESCRIPTION
CT40-STL-1PKC	CT40, CT45, CT47, CT70, RT710 Sylus for use with or without screen protectors. Pack of 1.





PART NUMBER	DESCRIPTION
RT710-VD-KB1	RT710 Keyboard 1-row (Includes 3021-9839-001 SCREW PACK,M3 6mm to attach to RT710-VD-VS1 or RT710-VD-TH1)





PART NUMBER	DESCRIPTION
RT710-VD-KB2	RT710 Keyboard 2-row (Includes 3021-9839-001 SCREW PACK,M3 6mm to attach to RT710-VD-VS1 or RT710-VD-TH1)





PART NUMBER	DESCRIPTION
RT710-VD-KB4	RT710 Keyboard 4-row (Includes 3021-9839-001 SCREW PACK,M3 6mm to attach to RT710-VD-VS1 or RT710-VD-TH1)

POWER
Wiring Kits



PART NUMBER	DESCRIPTION
VM1055CABLE	VM1, VM2, VM3 , RT710 DC power cable right angle (spare), replaces VM1054CABLE and CV41054CABLE, one cable is included with some docks



PART NUMBER	DESCRIPTION
VM3054CABLE	VM1, VM2, VM3, VM3A , RT710 DC POWER CABLE (SPARE) WITH IN-LINE FUSE KIT, one cable is included with each dock



PART NUMBER	DESCRIPTION
VM3055FUSE	VM1, VM2, VM3, RT710 IN-LINE FUSE KIT



PART NUMBER	DESCRIPTION
9000311PWRSPLY	Power Supply, DC/DC converter for 9 to 60V trucks, 60W. Use on vehicles with greater than 24 VDC power



PART NUMBER	DESCRIPTION
9000313PWRSPLY	Power Supply, DC/DC converter for 50 to 150V trucks, 60W. Use on vehicles with greater than 48 VDC power

KEYBOARDS

External Keyboard Options





Recommended Screws 8#-32-UNC



DB9M Connector

PART NUMBER	DESCRIPTION
340-053-003-DB9P	Rugged Keyboard, 101 Keys, Backlit, cursor control, desktop or vehicle-mount, DB9M connector. Operating Temperature: -40°C to +70°C Mount with 'C' RAM Ball VX89A041RAMBALL. Note: 9000029BRACKET keyboard mount plate is NOT compatible with 340-053-003-DB9P.





Recommended Screws 8#-32-UNC



DB9M Connector

PART NUMBER	DESCRIPTION
9000286KEYBRD	Keyboard, 86 Key, Backlit, Pointing Device, DB9M connector, use with VMCs and Tablets. Operating Temperature: -40°C to +70°C Mount with 'C' RAM Ball VX89A041RAMBALL Note: 9000029BRACKET keyboard mount plate is NOT compatible with 9000286KEYBRD.

MOUNTING

Mounting Accessories



PART NUMBER	DESCRIPTION
RT10-MNT-RAM	75x75mm VESA Plate with 2.25” diameter rubber ball “D” size.



PART NUMBER	DESCRIPTION
VX89A502RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, **SHORT** 5´ LENGTH




PART NUMBER	DESCRIPTION
VX89A501RAMARM	RAM, ARM, SIZE ´D´ SOCKETS, **MEDIUM** 8.5´ LENGTH



PART NUMBER	DESCRIPTION
VX89A030RAMBALL	BALL D-SIZE 2.25, ROUND 3.68 BASE



PART NUMBER	DESCRIPTION
VM1001RAMBALL	THOR DOCK BALL, D-SIZE, WITH MOUNTING HARDWARE, for spare docks, included in RAM mount kits



PART NUMBER	DESCRIPTION
RT10-KEYBD-PLATE	RT10 keyboard plate adapter (C-Size RAM mount or keyboard are not included)



PART NUMBER	DESCRIPTION
VX89A033RAMBALL	BALL D-SIZE 2.25, CLAMP BASE FOR 1.25 TO 1.875 PIPE MOUNT



PART NUMBER	DESCRIPTION
VX89A040RAMBALL	BALL D-SIZE 2.25, CLAMP BASE FOR 2 TO 2.5 PIPE MOUNT



PART NUMBER	DESCRIPTION
VX89A041RAMBALL	BALL C-SIZE 1.5, 2.5 ROUND BASE

MOUNTING

Mounting Kits for RT710-VD-TH1 installation with Quick Mount Docks



PART NUMBER	DESCRIPTION
VM1001BRKTKIT	RAM Mount Kit – Round Base, **Short** Arm



PART NUMBER	DESCRIPTION
VM1002BRKTKIT	RAM Mount Kit – Round Base, **Medium** Arm



PART NUMBER	DESCRIPTION
VM1001VMCRADLE	Dock with integral power supply, 10V DC to 60V DC, DC power cable included. Supports all Thor VM series models. Order separately VM3055FUSE if an in-line fuse kit is required.



PART NUMBER	DESCRIPTION
VM1004BRKTKIT	RAM Mount Kit – Clamp Base, **Short** Arm



PART NUMBER	DESCRIPTION
VM1005BRKTKIT	RAM Mount Kit – Clamp Base, **Medium** Arm



PART NUMBER	DESCRIPTION
VM1002VMCRADLE	Dock with RAM ball mount, includes “D” ball for dock, DC power cable not included. Supports all Thor VM series models. Note: Order if reusing VX8/VX9 power cable and RAM mount.



PART NUMBER	DESCRIPTION
VM1007BRKTKIT	RAM Mount Kit – Plate Base, **Short** Arm



PART NUMBER	DESCRIPTION
VM1008BRKTKIT	RAM Mount Kit – Plate Base, **Medium** Arm




PART NUMBER	DESCRIPTION
VM3001VMCRADLE	Dock with integral power supply. Enhanced I/O, 10V DC to 60V DC, DC power cable and fuse kit included. Supports all Thor VM series models, additional USB ports and Ethernet port.

MISCELLANEOUS

Micro-SD Cards

Brady Recommended – ATP Industrial Grade Micro SD Cards



Why ATP Industrial Grade SD?

ATP's SIP (System-In-Packaging) manufacturing process encapsulates all exposed components and points of failure to ensure the products are fully waterproof, shockproof, and ESD (Electro-Static Discharge) proof. ATP Industrial Grade SD/SDHC Cards can withstand at least an operating/storage temperature range of at least -40 to 85 degrees Celsius. In addition to this temperature range, the cards are completely waterproof, dustproof, and ESD (Electro-Static Discharge) proof. All ATP Industrial Grade SD/SDHC cards are produced under a stringent RoHs and Green Package compliant manufacturing process to guarantee a consistent high level of build quality and performance. ATP Industrial SD cards deliver outstanding performance with read speed (seq) up to 18MB/sec and write speed (seq) up to 16MB/sec. All ATP Industrial Grade CF, SD, USB drives, and SSDs are constructed using best-in-class SLC(Single-Level Cell) components with enhanced Error Correction Code(ECC) functions and wear levelling algorithms. This results in MTBF ratings over 2 million hours and the highest write cycle lifetimes in the industry.

	PART NUMBER	DESCRIPTION
1	856-065-004	MICRO-SD CARD, **1GB**, AF1GUDI, ROHS
OR	856-065-005	MICRO-SD CARD, **2GB**, AF1GUDI, ROHS
OR	856-065-006	MICRO-SD CARD, **4GB**, AF1GUDI, ROHS
OR	856-065-007	MICRO-SD CARD, **8GB**, AF1GUDI, ROHS

AC Cords

Regional Power Cords



AC Power - C13 Type Connector

PART NUMBER	TYPE	DESCRIPTION
3013-1460-001	C13	AC Power Cord, 1.5m, Argentina
3013-1457-001	C13	AC Power Cord, 1.5m, Australia/ New Zealand
3013-1452-001	C13	AC Power Cord, 1.5m, Brazil
3013-1454-001	C13	AC Power Cord, 1.5m, Europe (EU)
3013-1456-001	C13	AC Power Cord, 1.5m, India
3013-1458-001	C13	AC Power Cord, 1.5m, Israel
3013-1455-001	C13	AC Power Cord, 1.5m, Korea
3013-1462-001	C13	AC Power Cord, 1.5m, South Africa
3013-1459-001	C13	AC Power Cord, 1.5m, UK
3013-1453-001	C13	AC Power Cord, 1.5m, USA

MISCELLANEOUS

Disclaimer

This manual is proprietary to Brady Worldwide, Inc. (hereafter “Brady”), and may be revised from time to time without notice. Brady disclaims any understanding to provide you with such revisions, if any.

This manual is copyrighted with all rights reserved. No portion of this manual may be copied or reproduced by any means without the prior written consent of Brady.

While every precaution has been taken in the preparation of this document, Brady assumes no liability to any party for any loss or damage caused by errors or omissions or by statements resulting from negligence, accident, or any other cause. Brady further assumes no liability arising out of the application or use of any product or system described, herein; nor any liability for incidental or consequential damages arising from the use of this document. Brady disclaims all warranties of merchantability of fitness for a particular purpose.

Brady reserves the right to make changes without further notice to any product or system described herein to improve reliability, function, or design

Web Address: www.bradycorp.com/productivity

The Bluetooth trademarks are owned by Bluetooth SIG, Inc., U.S.A and licensed to Brady.

Apple, iOS, iPod touch and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark or registered trademark of Google Inc. in the United States and/or other countries. Windows is a trademark or registered trademark of Microsoft Corporation.

Other product names mentioned in the manual may be trademarks of registered trademarks of their respective companies and are the property of their respective owners.

All rights reserved.

For more information
www.bradycorp.com/productivity

Brady Corporation
9680 Old Bailes Road
Fort Mill, SC 29707

RT710 Configuration Guide - GLOBAL | Rev A | 11/26
© 2026 Brady Worldwide Inc. and its affiliates. All Rights Reserved